CONTENTS OF VOLUME 31

Number 1

Instructions to Authors—1992 1

Review Article Number 64

Acetylenes and related compounds in Anthemideae 7 L. P. CHRISTENSEN

Growth and Metabolism

Effects of oxalate on reduction of hydroxypyruvate and glyoxylate in leaves 51 L. A. KLECZKOWSKI, G. E. EDWARDS and D. D. RANDALL

Fusidic acid-dependent wheat germ ribosomal complexes require unphosphorylated elongation factor 2 55 R. MUÑOZ, F. J. ARIAS, M. A. ROJO, R. IGLESIAS, J. M. FERRERAS and T. GIRBÉS

Invertase from *Opuntia ficus-indica* fruits 59 N. K. OUELHAZI, R. GHRIR, K. H. D. LE and F. LEDERER

A reticuloendothelial system-activating glycan from the roots of *Astragalus membranaceus* 63 M. TOMODA, N. SHIMIZU, N. ŌHARA, R. GONDA, S. ISHII and H. ŌTSUKI

Hydroxylation of methyl abscisate and the formation of three β-D-glucosides 67 B. LOVEYS and B. V. MILBORROW

24-Ethyl-orientation of the 24-ethylsterols during the life cycle of the squash 73 G. P. FENNER and G. W. PATTERSON

Mechanism of phytotoxic action of naphthoquinone pigments of the fungus *Fusarium decemcellulare* 77 A. G. MEDENTSEV and V. K. AKIMENKO

4,4′-Dihydroxytruxillic acid as a component of the cell walls of the bamboo *Phyllostachys edulis* 81 S. TACHIBANA, K. OHKUBO and G. H. N. TOWERS

Effect of flavonoids on hydroxyl radical formation by Fenton-type reactions; influence of the iron chelator 85 A. PUPPO

Ecological Biochemistry

Occurrence of DIBOA in wild *Hordeum* species and its relation to aphid resistance 89 B. N. BARRIA, S. V. COPAJA and H. M. NIEMEYER

Antifungal compounds from immature avocado fruit peel 93 N. K. B. ADIKARAM, D. F. EWING, A. M. KARUNARATNE and E. M. K. WIJERATNE

Role of root and stem lipids in cold tolerance of short-rotation willows 97 H. ROSENQVIST and S. LAAKSO

Sesquiterpene lactones with antibacterial activity from *Tanacetum densum* subsp. *sivasicum* 101 N. GÖREN, C. BOZOK-JOHANSSON, J. JAKUPOVIC, L.-J. LIN, H.-L. SHIEH, G. A. CORDELL and N. ÇELIK

Spiciferinone, an azaphilone phytotoxin produced by the fungus *Cochliobolus spicifer* 105 H. NAKAJIMA, Y. KIMURA and T. HAMASAKI

Three biologically active phenylpropanoid glucosides from *Myriophyllum verticillatum* 109 G. ALIOTTA, A. MOLINARO, P. MONACO, G. PINTO and L. PREVITERA

Biosynthesis

Metabolism of *n*-alkadienes in the A race of *Botryococcus braunii* 113 J. TEMPLIER, C. DIESENDORF, C. LARGEAU and E. CASADEVALL

Fatty acid elongation activities in subcellular fractions of developing seeds of *Limnanthes alba*	121	A. Lardans and A. Trémolières
Glycerolipid biosynthesis by microsomal fractions from olive fruits	129	J. Sanchez, M. T. del Cuvillo and J. L. Harwood
Biosynthesis of iridoid glucosides in *Lamium album*	135	S. Damtoft, S. R. Jensen and B. J. Nielsen
Genetic control of the enzymatic formation of cyclic monoterpenoids in *Perilla frutescens*	139	A. Nishizawa, G. Honda and M. Tabata
Cell Culture and Biotechnology		
Biotransformation of sesquiterpenes by cultured cells of *Curcuma zedoaria*	143	N. Sakui, M. Kuroyanagi, Y. Ishitobi, M. Sato and A. Ueno
Induction of phenylpropanoid pathway enzymes in elicitor-treated cultures of *Cephalocereus senilis*	149	P. W. Paré, C. F. Mischke, R. Edwards, R. A. Dixon, H. A. Norman and T. J. Mabry
Chemotaxonomy		
seco-Labdanes from *Tamaulipa azurea* and constituents from other Eupatorieae	155	C. Zdero, F. Bohlmann and R. M. King
Triterpenoids in bud exudates of Fijian *Gardenia* species	159	N. W. Davies, J. M. Miller, R. Naidu and S. Sotheeswaran
Co-occurrence of C-24 epimeric 24-ethylsterols possessing and lacking a Δ^{25}-bond in *Kalanchoe petitiana*	163	T. Akihisa, T. Gebreyesus, H. Hayashi and T. Tamura
Iridoid and phenylpropanoid glycosides from *Stachys macrantha*	167	İ. Çalış, A. A. Başaran, İ. Saracoğlu and O. Sticher
Plant Chemistry		
^{2}H NMR determination of site-specific natural isotope fractionation in (−)-α-bisabolols	171	R. Carle, J. Beyer, A. Cheminat and E. Krempp
Iridoid glucosides from *Lamium album*	175	S. Damtoft
Meroterpenes from *Cystoseira usneoides*	179	J. G. Urones, P. Basabe, I. S. Marcos, J. Pineda, A. M. Lithgow, R. F. Moro, F. M. S. Brito Palma, M. E. M. Araújo and M. D. G. Gravalos
Africane- and santalane-type sesquiterpenoids from the liverwort *Porella caespitans* var. *setigera*	183	M. Toyota, F. Nagashima, K. Shima and Y. Asakawa
Guaianolides from *Artemisia xerophytica*	191	R. Tan and Z. Jia
A eudesmanolide and other constituents from *Inula graveolens*	195	S. Öksüz and G. Topçu
Sesquiterpenes and other constituents from *Ligularia veitchiana*	199	Z. J. Jia, Y. Zhao, R. X. Tan and Y. Li
Sesquiterpenes and phenylpropanoids from *Seseli vayredanum*	203	A. F. Barrero, M. M. Herrador and P. Arteaga
A highly oxygenated germacrane from *Aspilia eenii* and constituents from other *Aspilia* species	209	U. Ganzer, J. Jakupovic, F. Bohlmann and R. M. King
Clerodane derivatives from *Diplostephium*	213	C. Zdero, F. Bohlmann and R. M. King
Salvianduline C, a 5,6-secoclerodane diterpenoid from *Salvia lavanduloides*	217	E. Maldonado, J. Cárdenas, B. Salazar, R. A. Toscano, A. Ortega, C. K. Jankowski, A. Aumelas and M. R. Van Calsteren
Diterpenoids from *Rabdosia parvifolia*	221	Y. Li and Y. Chen

30-Norfriedelane triterpenes from the stem bark of *Caloncoba glauca*	223	R. M. Giner-Pons, A. I. Gray, C. Lavaud, G. Massiot, S. Gibbons and P. G. Waterman
Triterpenoids and their glycosides from the bark of *Schefflera octophylla*	227	T. V. Sung, C. Lavaud, A. Porzel, W. Steglich and G. Adam
Glycosides of a cycloartane sapogenin from *Curculigo orchioides*	233	J. Xu, R. Xu and X. Li
Dammarane saponins from *Gymnema sylvestre*	237	K. Yoshikawa, S. Arihara, K. Matsuura and T. Miyase
A polyoxygenated steroid from *Lasiosphaera nipponica*	243	Y. Takaishi, R. Adachi, Y. Murakami, T. Ohashi, K. Nakano and T. Tomimatsu
Isolation of ecdysteroids from *Vitex strickeri* using RLCC and recycling HPLC	247	M. Zhang, M. J. Stout and I. Kubo
C-Nor-D-homo-cardenolide glycosides from *Thevetia neriifolia*	251	F. Abe, T. Yamauchi and T. Nohara
Anthraquinones from *Cassia greggii*	255	A. G. González, J. B. Barrera, B. B. Davila, E. Valencia and X. A. Domínguez
A bianthraquinone and 4′-*O*-methyl-*ent*-gallocatechin from *Cassia trachypus*	259	F. Delle Monache, I. L. D'Albuquerque, A. de Andrade Chiappeta and J. F. De Mello
Phenylpropanoid and iridoid glycosides from *Pedicularis lasiophrys*	263	Jia Zhongjian, Liu Zimin and Wang Changzeng
Lignans from polar extracts of *Juniperus thurifera*	267	A. San Feliciano, J. M. Miguel del Corral, J. L. Lopez and B. de Pascual-Teresa
Neolignans from *Aniba ferrea*	271	D. C. Rodrigues, M. Yoshida and O. R. Gottlieb
Bicyclo[3.2.1]octanoid neolignans from *Ocotea porosa*	275	M. O. M. Marques, M. C. C. P. Gomes, M. Yoshida and O. R. Gottlieb
Sulphated phlorotannins from the brown alga *Pleurophycus gardneri*	279	K.-W. Glombitza and W. Knöss
Flavones and lignans in flowers, fruits and seedlings of *Virola venosa*	283	M. J. Kato, M. Yoshida and O. R. Gottlieb
Acylated pelargonidin glycosides in the red-purple flowers of *Pharbitis nil*	289	T. S. Lu, N. Saito, M. Yokoi, A. Shigihara and T. Honda
Two flavonol glycosides from *Vancouveria hexandra*	297	M. Mizuno, Y. Kanie, M. Iinuma, T. Tanaka and F. A. Lang
Four flavonol glycosides from *Achlys triphylla*	301	M. Mizuno, S. Yoshida, M. Iinuma, T. Tanaka, K. Tsuji and F. A. Lang
Six dihydrofuranoflavonols from the leaf surface of *Vellozia*	305	J. B. Harborne, J. Greenham, C. Williams, J. Eagles and K. R. Markham
Isoflavones and xanthones from *Polygala virgata*	309	A. Bashir, M. Hamburger, J. D. Msonthi and K. Hostettmann
Prenylated xanthones from *Garcinia livingstonei*	313	I. Sordat-Diserens, C. Rogers, B. Sordat and K. Hostettmann

Dimeric alkaloids from *Psychotria forsteriana* 317 Y. Adjibade, B. Weniger, J. C. Quirion, B. Kuballa, P. Cabalion and R. Anton

Short Reports

3-Nitropropyl glycosides of *Astragalus miser* var. *serotinus* 321 M. Long, M. Benn, W. Majak and R. McDiarmid

2,4,6-Trimethoxytoluene from the genus '*Stockwellia*' 324 J. J. Brophy, C. J. R. Fookes and A. P. N. House

Bisabolane halogenated sesquiterpenes from *Laurencia* 326 M. Norte, J. J. Fernández and A. Padilla

Guaianolides from *Picris altissima* 328 W. Kisiel

Germacranolides from *Allagopappus viscosissimus* 330 A. G. González, J. B. Barrera, J. T. Méndez, J. L. E. Martinez and M. L. Sánchez

Biomimetic cyclizations of a germacranolide from *Tanacetum annuum* 332 A. F. Barrero, J. F. Sánchez, A. Barrón and A. Ramírez

A sesquiterpenoid with plant growth regulatory activity from *Saussurea lappa* 336 K. K. Talwar, I. P. Singh and P. S. Kalsi

A *neo*-clerodane diterpene from *Clerodendron inerme* 338 B. Achari, C. Giri, C. R. Saha, P. K. Dutta and S. C. Pakrashi

Homoditerpene peroxides from *Artemisia absinthium* 340 G. Rücker, D. Manns and S. Wilbert

A diterpenoid from *Rabdosia excisa* 342 R. Chang, D. Kim, Z. U, X. Shen, Y. Chen and H. Sun

Furolabdanes and related compounds from *Ballota aucheri* 344 A. Rustaiyan, M. H. Mosslemin-Kupaii and C. Zdero

Leaf surface terpenoids of the tree fern *Lophosoria quadripinnata* 347 N. Tanaka, H. Wada, V. Dietz and E. Wollenweber

Arjunolitin, a triterpene glycoside from *Terminalia arjuna* 349 V. K. Tripathi, V. B. Pandey, K. N. Udupa and G. Rücker

Triterpene saponins from the roots of *Ampelozizyphus amazonicus* 352 M. G. L. Brandao, M.-A. Lacaille-Dubois, M. A. Teixera and H. Wagner

Anthraquinones from *Galium sinaicum* 355 A. F. Halim, H. A. El-Fattah, A. A. El-Gamal and R. H. Thomson

Two phenylpropanoid glycosides from *Leonurus glaucescens* 357 İ. Çalış, T. Ersöz, D. Taşdemir and P. Rüedi

Neolignans from *Licaria aurea* 360 M. O. M. Marques, M. Yoshida, O. R. Gottlieb and J. G. S. Maia

Coumaronochromones from leaves of *Desmodium oxyphyllum* 361 M. Mizuno, K. Baba, M. Iinuma and T. Tanaka

A quinonoid pyranobenzoxanthone and pyranodihydrobenzoxanthone from *Artocarpus communis* 364 W.-L. Shieh and C.-N. Lin

Alkaloids of a *Datura candida* cultivar 367 W. J. Griffin

Pyrrolizidine alkaloids from seeds of *Crotalaria capensis* 369 G. H. Verdoorn and B.-E. van Wyk

Alkaloid constituents from *Erythrina xbidwillii* flowers 372 A. S. Chawla, A. Sood, M. Kumar and A. H. Jackson

Book Review
Ecological Chemistry and Biochemistry of Plant Terpenoids: edited by J. B. Harborne and F. A. Tomas-Barberan 375 D. V. Banthorpe

Number 2

The Pergamon Phytochemistry Medal and Prize ix

Review Article Number 65
Biological activity of limonoids from the Rutales 377 D. E. Champagne, O. Koul, M. B. Isman, G. G. E. Scudder and G. H. N. Towers

Growth and Metabolism
Effect of cadmium on enzymes of nitrogen metabolism in pea seedlings 395 L. K. Chugh, V. K. Gupta and S. K. Sawhney

Effect of phosphate on protease activity of senescing rice leaves 401 S.-M. Kang and J. S. Titus

Copper-induced ethylene biosynthesis in terrestrial (*Nicotiana tabacum*) and aquatic (*Spirodela oligorrhiza*) higher plants 405 A. K. Mattoo, R. A. Mehta and J. E. Baker

Characterization of an ATPase associated with the lipid body membrane of germinating rapeseed 411 J. A. Olsen and R. V. Weatherman

Production and excretion of benzyl alcohol oxidase in *Botrytis cinerea* 413 M. Goetghebeur, M. Nicolas, S. Brun and P. Galzy

Plasmalemma ATPase in rice coleoptiles; stimulation by putrescine and polyamines 417 R. Reggiani, S. Zaina and A. Bertani

Proteases catalysing processing and degradation of Kunitz soybean trypsin inhibitor during seed maturation 421 A. K. McGrain, J. C. Chen, K. A. Wilson and A. L. Tan-Wilson

β-Amylase from tap roots of alfalfa 427 P. J. Boyce and J. J. Volenec

Purification and compartmentation of α-mannosidase isoenzymes of barley leaves 433 M. Betz, E. Martinoia, D. K. Hincha, J. M. Schmitt and K.-J. Dietz

γ-Glutamyl transpeptidase/γ-glutamyl peptidase in sprouted *Allium sativum* 441 L. N. Ceci, O. A. Curzio and A. B. Pomilio

Evidence for myrosinase activity in *Cucumis melo* fruit 445 F. Bois, A. Ploubidou and V. Dourtoglou

Partial purification and properties of chlorophyllase from chlorotic *Citrus limon* leaves 447 J. A. Fernandez-Lopez, L. Almela, M. S. Almansa and J. M. Lopez-Roca

Deguelin cyclase, a prenyl to chromen transforming enzyme from *Tephrosia vogellii* 451 L. Crombie, J. T. Rossiter, N. Van Bruggen and D. A. Whiting

Mannan of oil palm kernel 463 M. J. Daud and M. C. Jarvis

Immunocytochemical localization of vindoline in mesophyll protoplasts of *Catharanthus roseus* 465 L. Brisson, P. M. Charest, V. De Luca and R. K. Ibrahim

Alkaloids and metabolism in a *Duboisia* hybrid 471 W. Gritsanapan and W. J. Griffin

Ecological Biochemistry

Seasonal variations in fatty acids from non-polar lipids of developing peppermint leaves 479 M. Maffei and S. Scannerini

Inhibitory furanone produced by the biocontrol agent *Trichoderma harzianum* 485 A. Ordentlich, Z. Wiesman, H. E. Gottlieb, M. Cojocaru and I. Chet

The floral odour of *Peltandra virginica* contains novel trimethyl-2,5-dioxabicyclo[3.2.1]nonanes 487 J. M. Patt, T. G. Hartman, R. W. Creekmore, J. J. Elliott, C. Schal, J. Lech and R. T. Rosen

Selecting sorghum genotypes expressing a quantitative biosynthetic trait that confers resistance to *Striga* 493 D. E. Hess, G. Ejeta and L. G. Butler

Biosynthesis

Conversion of fluoropyruvate to fluoroacetate by *Dichapetalum cymosum* 499 J. J. M. Meyer and D. O'Hagan

Microbiological preparation of atisenolides by *Gibberella fujikuroi* 503 B. M. Fraga, R. Guillermo and J. R. Hanson

The biotransformation of some *ent*-beyeran-19-oic acids by *Gibberella fujikuroi* 507 M. S. Ali, J. R. Hanson and B. H. de Oliveira

NIH-shift during biosynthesis of epoxy-pseudoisoeugenol-(2-methylbutyrate) in tissue cultures of *Pimpinella anisum* 511 R. Martin and J. Reichling

Cell Culture and Biotechnology

Biotransformation of terpene aldehydes, aromatic aldehydes and related compounds by *Dunaliella tertiolecta* 515 Y. Noma, E. Akehi, N. Miki and Y. Asakawa

An unusual metabolite, dihydroechinofuran, released from cultured cells of *Lithospermum erythrorhizon* 519 H. Fukui, M. Tani and M. Tabata

Chemotaxonomy

The N-terminal amino acid sequence of the β-subunit of the legumin-like protein from seeds of *Ginkgo biloba* 523 K.-P. Häger, U. Jensen, J. Gilroy and M. Richardson

Formation of dipeptides containing D-alanine in wild rice plants 527 H. Manabe

Heterogeneity of carrageenans from *Chondrus crispus* 531 B. Matsuhiro and C. C. Urzua

Composition of *Acacia macracantha* gum exudates 535 M. C. Martínez, G. L. de Pinto and C. Rivas

Essential oil composition of three polyploids in the *Achillea millefolium* 'complex' 537 L. Hofmann, D. Fritz, S. Nitz, H. Kollmannsberger and F. Drawert

Biphenyls and xanthones from the Podostemaceae 543 G. Burkhardt, W. Schild, H. Becker and M. Grubert

Floral pigmentation in two yellow-flowered *Lathyrus* species and their hybrid 549 K. R. Markham, K. R. W. Hammett and D. J. Ofman

Occurrence of *C*-methylflavonols in leaves of *Vellozia* 555 C. A. Williams, J. Greenham, J. B. Harborne, J. Eagles and K. R. Markham

Chemotypes of two pyrrolizidine alkaloid-containing *Senecio* species 559 L. Witte, L. Ernst, H. Adam and T. Hartmann

Plant Chemistry

Cyanogenic glycosides from *Psydrax* and *Oxyanthus* species 567 J. Rockenbach, A. Nahrstedt and V. Wray

Volatile components of violet leaves 571 J. Q. Cu, F. Perineau and A. Gaset

Bisabolene and guaiane sesquiterpenes from *Pulicaria glutinosa*	575	J. S. Mossa, I. Muhammad, F. S. El-Feraly, C. D. Hufford, D. R. McPhail and A. T. McPhail
Cryptoporic acids A–G, drimane-type sesquiterpenoid ethers of isocitric acid from the fungus *Cryptoporus volvatus*	579	Y. Asakawa, T. Hashimoto, Y. Mizuno, M. Tori and Y. Fukazawa
A rearranged germacranolide and other sesquiterpene lactones from *Stevia jujuyensis*	593	R. R. Gil, A. Del V. Pacciaroni, J. C. Oberti, J. G. Díaz and W. Herz
Sesquiterpene lactones and other constituents of *Mikania rimachii* and *Mikania microptera*	597	J. G. Díaz, V. L. Goedken and W. Herz
Glaucolides and related sesquiterpene lactones from *Vernonia nudiflora* and *Chrysolaena propinqua*	609	A. Bardón, N. I. Kamiya, C. A. de Ponce de León, C. A. N. Catalán, J. G. Díaz and W. Herz
Diterpenoids and cyclolanostanolides from *Abies marocana*	615	A. F. Barrero, J. F. Sánchez, E. J. Alvarez-Manzaneda, M. Muñoz and A. Haïdour
Virgaureasaponin 3, a 3,28-bisdesmosidic triterpenoid saponin from *Solidago virgaurea*	621	G. Bader, V. Wray and K. Hiller
Limonoids from *Trichilia hirta*	625	D. A. G. Cortez, P. C. Vieira, J. B. Fernandes, M. F. G. F. da Silva and A. G. Ferreira
Dibenzocyclo-octadiene lignans from *Kadsura heteroclita*	629	D.-F. Chen, G.-J. Xu, X.-W. Yang, M. Hattori, Y. Tezuka, T. Kikuchi and T. Namba
A dimeric stilbene from *Gnetum parvifolium*	633	M. Lin, J. B. Li, S. Z. Li, D. Q. Yu and X. T. Liang
Two phthalides from *Ligusticum chuangxiong*	639	T. Naito, T. Katsuhara, K. Niitsu, Y. Ikeya, M. Okada and H. Mitsuhashi
Coumaronochromones in the roots of *Euchresta japonica*	643	M. Mizuno, N. Matsuura, M. Iinuma and T. Tanaka
Self-association of flavylium cations of anthocyanidin 3,5-diglucosides studied by circular dichroism and ^{1}H NMR	647	T. Hoshino
Galloylcyanidin glycosides from *Acer*	655	S.-B. Ji, N. Saito, M. Yokoi, A. Shigihara and T. Honda
Acylated peonidin glycosides in the violet-blue cultivars of *Pharbitis nil*	659	T. S. Lu, N. Saito, M. Yokoi, A. Shigihara and T. Honda
Three 2′,4′,6′-trioxygenated flavanones in roots of *Echinosophora koreensis*	665	M. Iinuma, M. Ohyama, T. Tanaka, M. Mizuno and S.-K. Hong
Non-identity of hortensin from *Millingtonia hortensis* with 3,4′-dihydroxy-6,7-dimethoxyflavone	671	A. G. R. Nair and R. Sivakumar
Isoflavones from roots of *Euchresta japonica*	675	M. Mizuno, N. Matsuura, M. Iinuma and T. Tanaka
Structure revision of piscidone, a major isoflavonoid in the root bark of *Piscidia erythrina*	679	S. Tahara, M. Moriyama, J. L. Ingham and J. Mizutani
Isoflavones from the root bark of *Piscidia erythrina*	683	M. Moriyama, S. Tahara, J. L. Ingham and J. Mizutani

Short Reports

Koelzioside, an iridoid diglycoside from *Scrophularia koelzii* 689 S. P. S. Bhandari, A. Mishra, R. Roy and H. S. Garg

Eudesmanolides and 15-deoxygoyazensolide from *Lychnophora pseudovillosissima* 692 J. C. Borella, J. L. Callegarilopes, H. de Freitas Leitão Filho, J. Semir, J. G. Díaz and W. Herz

Diterpenoids from *Rabdosia nervosa* 695 Sun Handong, Niu Fangti, Chen Yiping and Lin Zhongwen

Diterpenoids from *Rabdosia japonica* 697 D. Kim, R. Chang, Shen Xiaoyu, Chen Yiping and Sun Handong

Diterpenoids from *Spirostachys africana* 699 Z. J. Duri, N. A. Hughes and N. M. Munkombwe

3β-Methoxyhop-22(29)-ene from *Chionochloa cheesemanii* 702 D. D. Rowan and G. B. Russell

An ergostane derivative from the bark of *Entandrophragma utile* 704 J.-C. Tchouankeu, B. Nyasse, E. Tsamo, B. L. Sondengam and C. Morin

A spirostanol glycoside from *Yucca aloifolia* 706 N. Kishor, O. P. Sati, J. Sakakibara and T. Kaiya

Anthraquinones from *Salvia przewalskii* 708 X. Z. Lu, W. H. Xu and H. Naoki

Anthraquinones of *Damnacanthus indicus* 709 J. Koyama, T. Okatani, K. Tagahara, I. Kouno and H. Irie

Phyllanthusiin D, an unusual hydrolysable tannin from *Phyllanthus amarus* 711 L. Y. Foo and H. Wong

Thymol derivatives and a chromene from *Ageratina glechonophylla* 714 A. G. González, C. Y. Hernández and J. B. Barrera

Coumarin derivatives in *Coptis trifolia* 717 M. Mizuno, H. Kojima, M. Iinuma, T. Tanaka and K. Goto

Stipulin, a prenylated chalcone from *Dalbergia stipulacea* 719 P. Bhatt and R. Dayal

Two flavanones from roots of *Sophora leachiana* 721 M. Iinuma, T. Tanaka, M. Mizuno and F. A. Lang

Neodiosmin, a flavone glycoside of *Citrus aurantium* 723 J. A. Del Rio, O. Benavente, J. Castillo and F. Borrego

2α-Hydroxysoladulcidine from *Lycianthes biflora* 725 H. Ripperger and A. Porzel

Short Book Reviews 727 J. B. Harborne

Number 3

Announcements xi

Obituary

Ferdinand Bohlmann 1921–1991 729 J. B. Harborne

Growth and Metabolism

Characterization of proteins released from legume seeds in hot water 731 H. Hirano, H. Kagawa and K. Okubo

Fungal elicitor-mediated responses in pine cell cultures: cell wall-bound phenolics 737 M. M. Campbell and B. E. Ellis

A two-substrate kinetic study of peroxidase cationic isoenzymes in barley malt — 743 S. P. Clarkson, P. J. Large and C. W. Bamforth

Action of ferrous ions on sedoheptulose bisphosphatase of spinach chloroplasts — 751 C. Queiroz-Claret and J. C. Meunier

The biogenesis of galactone-γ-lactone oxidase in *Avena sativa* embryos — 755 L. De Gara, F. Tommasi, R. Liso and O. Arrigoni

Inhibition of Δ^5-desaturase in polyunsaturated fatty acid biosynthesis by (−)-asarinin and (−)-epiasarinin — 757 S. Shimizu, H. Kawashima, K. Akimoto, Y. Shinmen, H. Sugano and H. Yamada

Partial purification of flax cell wall pectin methylesterase — 761 J. Gaffe, C. Morvan, A. Jauneau and M. Demarty

Partial purification and characterization of hydroxycinnamoyl CoA: transferases from apple and date fruits — 767 S. Lotfy, A. Fleuriet and J.-J. Macheix

Phosphatidylinositol turnover in crown gall tumour — 773 V. Srivastava and S. Guha-Mukherjee

Identification of headspace volatile compounds from 'Bing' sweet cherry fruit — 775 J. P. Mattheis, D. A. Buchanan and J. K. Fellman

Ecological Biochemistry

Rugosal A and related carotane sesquiterpenes in the glandular trichome exudate of *Rosa rugosa* — 779 Y. Hashidoko, S. Tahara and J. Mizutani

Cell-destroying sesquiterpenoid from red tide of *Gymnodinium nagasakiense* — 783 T. Kajiwara, S. Ochi, K. Kodama, K. Matsui, A. Hatanaka, T. Fujimura and T. Ikeda

Antimicrobial catechin derivatives of *Agrimonia pilosa* — 787 S. Kasai, S. Watanabe, J. Kawabata, S. Tahara and J. Mizutani

Biosynthesis

The biosynthesis of harzianolide by *Trichoderma harzianum* — 791 A. G. Avent, J. R. Hanson and A. Truneh

Biosynthesis of antirrhinoside in *Antirrhinum majus* — 795 J. Breinholt, S. Damtoft, H. Demuth, S. R. Jensen and B. J. Nielsen

Aphidicolane metabolites of *Cephalosporium aphidicola* — 799 J. R. Hanson, P. B. Hitchcock, A. G. Jarvis, E. M. Rodriguez-Perez and A. H. Ratcliffe

Carbon-13 NMR studies on sitosterol biosynthesized from [^{13}C]mevalonates — 805 W. D. Nes, R. A. Norton and M. Benson

Purification and properties of 1,2-dehydroreticuline reductase from *Papaver somniferum* seedlings — 813 W. De-Eknamkul and M. H. Zenk

Cell Culture and Biotechnology

N-Acylamino acids from *Ephedra distachya* cultures — 823 K.-S. Song, Y. Ishikawa, S. Kobayashi, U. Sankawa and Y. Ebizuka

Biotransformation of isoeugenol and eugenol by cultured cells of *Eucalyptus perriniana* — 827 Y. Orihara, T. Furuya, N. Hashimoto, Y. Deguchi, K. Tokoro and T. Kanisawa

Tannin production in cell cultures of *Sapium sebiferum* — 833 S. Neera and K. Ishimaru

Flavonol glycoside production in callus cultures of *Epimedium diphyllum* — 837 H. Yamamoto, K. Ieda, S.-I. Tsuchiya, K. Yan, T. Tanaka, M. Iinuma and M. Mizuno

Chemotaxonomy

Fatty acid composition of *Parmelia* lichens — 841 V. M. Dembitsky, T. Rezanka, I. A. Bychek and M. V. Shustov

Phospholipid and fatty acid composition of some basidiomycetes — 845 V. M. Dembitsky, E. E. Shubina and A. G. Kashin

Fatty acids and phospholipids from lichens of the order Lecanorales — 851 V. M. Dembitsky, T. Rezanka and I. A. Bychek

Fatty acids and sterols from *Sesbania rostrata* — 855 J. Miralles, M. O. Sy, M. M. Spencer-Barreto, N. Diallo, E.-M. Gaydou and A. T. Ba

Sesquiterpene lactones and other constituents of Argentine *Ambrosia* species — 859 G. L. Silva, J. C. Oberti and W. Herz

Sesquiterpene lactones and other constituents from *Ursinia* species — 863 J. Jakupovic, U. Ganzer, P. Pritschow, L. Lehmann, F. Bohlmann and R. M. King

Triterpene acids from some Papua New Guinea *Terminalia* species — 881 D. J. Collins, C. A. Pilotti and A. F. A. Wallis

Caffeic glycoside esters from *Jasminum nudiflorum* and some related species — 885 C. Andary, S. Tahrouch, C. Marion, R. Wylde and A. Heitz

Plant Chemistry

Characterization of γ-glutamyl-β-(isoxazolinonyl)-alanine from *Lathyrus sativus* and its decarboxylation product from *Lathyrus odoratus* — 887 F. Lambein, J. K. Khan, C. Becu and A. De Bruyn

Aminopropylaminoalcohols in the seeds of *Dolichos lablab* — 893 K. Hamana, M. Niitsu, K. Samejima and S. Matsuzaki

Vomifoliol 9-*O*-β-D-glucopyranosyl-4-*O*-β-D-xylopyranosyl-6-*O*-β-D-glucopyranoside: a trisaccharide glycoside from apple fruit — 895 M. Herderich, W. Feser and P. Schreier

Three acetylenic compounds from roots of *Panax ginseng* — 899 K. Hirakura, M. Morita, K. Nakajima, Y. Ikeya and H. Mitsuhashi

Iridoid-related aglycone and its glycosides from *Scrophularia ningpoensis* — 905 J. Qian, D. Hunkler and H. Rimpler

Marasmane lactones from *Lactarius vellereus* — 913 W. M. Daniewski, M. Gumułka, K. Ptaszyńska, P. Skibicki, J. Krajewski and P. Gluziński

Diterpenoids from *Siegesbeckia pubescens* — 917 X. Jiang, M. Yunbao and X. Yunlong

Triterpenes from the frond exudate of the fern *Notholaena greggii* — 923 G. Appendino, P. Gariboldi, E. Wollenweber, A. Sironi and H. Molinari

An oleanane triterpene from *Anagallis arvensis* — 929 G. Aliotta, L. De Napoli, F. Giordano, G. Piccialli, V. Piccialli and C. Santacroce

A ring-D aromatic withanolide from *Salpichroa origanifolia* — 935 A. S. Veleiro, J. C. Oberti and G. Burton

Withanolide glycosides from *Dunalia australis* — 939 M. Lischewski, N. T. B. Hang, A. Porzel, G. Adam, G. Massiot and C. Lavaud

Structural revision of bryonoside and structure elucidation of minor saponins from *Bryonia dioica* — 943 K. Oobayashi, K. Yoshikawa and S. Arihara

Austrocortilutein stereoisomers from Australian fungi of the genus *Dermocybe*	947	M. Gill, A. Giménez, A. G. Jhingran and A. Qureshi
Iresinoside, a yellow pigment from *Pfaffia iresinoides*	953	Y. Shiobara, S. Inoue, Y. Nishiguchi, K. Kato, T. Takemoto, N. Nishimoto, F. de Oliveira, G. Akisue, M. K. Akisue and G. Hashimoto
Kadsulignans E–G from *Kadsura longipedunculata*	957	J.-S. Liu and M.-F. Huang
Phenylethanoid and lignan glycosides from *Verbascum thapsus*	961	T. Warashina, T. Miyase and A. Ueno
Hirsunin, an ellagitannin with a diarylheptanoid moiety, from *Alnus hirsuta* var. *microphylla*	967	M. Lee, T. Tanaka, G. Nonaka and I. Nishioka
Prodelphinidins from *Ribes nigrum*	971	M. Tits, L. Angenot, P. Poukens, R. Warin and Y. Dierckxsens
A spirobiflavonoid genkwanol B from *Daphne genkwa*	975	K. Baba, M. Taniguchi and M. Kozawa
Tetraflavonoids of *Lophira alata*	981	A. Tih, R. G. Tih, B.-L. Sondengam, M.-T. Martin and B. Bodo
Two dibenzoylmethanes from the frond exudate of *Notholaena* species	985	J. N. Roitman, K. Mann and E. Wollenweber
Two anthocyanins acylated with gallic acid from the leaves of *Victoria amazonica*	989	D. Strack, V. Wray, J. W. Metzger and W. Grosse
Flavonoids in root bark of *Pongamia pinnata*	993	T. Tanaka, M. Iinuma, K. Yuki, Y. Fujii and M. Mizuno
Three flavanones with a lavandulyl group in the roots of *Sophora exigua*	999	N. Ruangrungsi, M. Iinuma, T. Tanaka, M. Ohyama, J. Yokoyama and M. Mizuno
Acylated flavonols and other constituents from *Galeana pratensis*	1003	E. Maldonado, R. A. Toscano, C. Mancera, Ma. T. Tripp and A. Ortega
Kaempferol-3-*O*-glucosyl(1-2)rhamnoside from *Ginkgo biloba* and a reappraisal of other gluco(1-2,1-3 and 1-4) rhamnoside structures	1009	K. R. Markham, H. Geiger and H. Jaggy
Isoflavonoids from *Pycnanthus angolensis* and *Baphia nitida*	1013	O. R. Omobuwajo, S. A. Adesanya and G. O. Babalola
Three prenylated isoflavones from *Milletia auriculata*	1015	E. Venkata Rao, Y. Rajendra Prasad and S. Ganapaty
Diterpene alkaloids from *Delphinium peregrinum*	1019	A. Ulubelen, A. H. Mericli, F. Mericli and R. Ilarslan
(−)-1-Methylcorypalline, an isoquinoline alkaloid from *Arthrocnemum glaucum*	1023	A. T. Khalil, A. F. Halim, K. Ogata, T. Sekine and I. Murakoshi
Revised structure of the main alkaloid of *Senecio adonidifolius*	1027	L. Witte, L. Ernst, V. Wray and T. Hartmann
Oxypterine, a chlorinated alkaloid from *Lotononis* subsection *Rostrata*	1029	G. H. Verdoorn and B.-E. van Wyk
Short Reports		
Aplotaxene derivatives from *Cirsium arvense*	1033	R. G. Binder, M. Benson, W. F. Haddon and R. C. French

A wax ester from *Piper clarkii*	1035	P. M. Boll, M. Hald, V. S. Parmar, O. D. Tyagi, K. S. Bisht, N. K. Sharma and S. Hansen
6′-*O*-Feruloyl- and 6′-*O*-sinapoyl-demethylalangisides, tetrahydroisoquinoline-monoterpene glucosides from *Alangium platanifolium*	1037	A. Itoh, T. Tanahashi and N. Nagakura
Iridoid glucosides from *Linaria vulgaris*	1040	E. I. Ilieva, N. V. Handjieva and S. S. Popov
Diterpenes from *Werneria dactylophylla*	1042	N. De Tommasi, R. Aquino, F. De Simone, S. Piacente and C. Pizza
Limonoid glucosides in calamondin seeds	1044	M. Miyake, Y. Ozaki, S. Ayano, R. D. Bennett, Z. Herman and S. Hasegawa
A bidesmosidic oleanolic acid saponin from *Panax pseudo-ginseng*	1046	Y. N. Shukla, R. S. Thakur and P. Pachaly
Triterpenoid saponins from *Clinopodium polycephalum*	1049	S.-R. Xue, J.-Q. Liu and G. Wang
A triterpenoid saponin from *Zygophyllum propinquum*	1051	V. U. Ahmad, Ghazala and S. Uddin
5α-Poriferast-9(11)-en-3β-ol from the marine red alga, *Gracilaria edulis*	1054	B. Das, Y. Venkateswarlu, K. V. N. S. Srinivas and A. V. Rama Rao
A pregnane glycoside from *Streblus asper*	1056	K. Prakash, D. Deepak, A. Khare and M. P. Khare
The pregnane glycoside marsdekoiside A from *Marsdenia koi*	1058	J. Yuan, Z.-Z. Lu, G.-X. Chen, W.-P. Ding, B.-N. Zhou, C. A. J. Erdelmeier, M. O. Hamburger, H. H. S. Fong and G. A. Cordell
Cytotoxic naphthoquinones from *Mansoa alliacea*	1061	H. Itokawa, K. Matsumoto, H. Morita and K. Takeya
Cytotoxic anthraquinones from *Rheum pulmatum*	1063	I. Kubo, Y. Murai, I. Soediro, S. Soetarno and S. Sastrodihardjo
Two pyrones from *Gliocladium vermoesenii*	1065	A. G. Avent, J. R. Hanson and A. Truneh
A naphthodipyranodione from *Gentiana asclepiadea*	1067	G. M. Kitanov and S. L. Spassov
Isosalvianolic acid C, a depside possessing a dibenzooxepin skeleton	1068	T.-X. Qian and L.-N. Li
Chromenes from *Arnica sachalinensis* and *A. amplexicaulis*	1070	C. M. Paßreiter, G. Willuhn, A. Steigel and U. Matthiesen
(+)-Afzelechin 3-rhamnoside from *Cassipourea gerrardii*	1073	S. E. Drewes, C. W. Taylor and A. B. Cunningham
Two tyrosinase inhibiting flavonol glycosides from *Buddleia coriacea*	1075	I. Kubo and Y. Yokokawa
Alkaloids from *Alstonia undulifolia*	1078	G. Massiot, A. Boumendjel, J.-M. Nuzillard, B. Richard, L. Le Men-Olivier, B. David and H. A. Hadi
Alkaloids from *Tonduzia pittieri*	1079	A.-M. Morfaux, P. Mouton, G. Massiot and L. Le Men-Olivier

Murrayamine-C from *Murraya euchrestifolia* 1083 C. Ito, H. Kanbara, T.-S. Wu and H. Furukawa

A pyrroline-pyrrolidine alkaloid from *Lilium candidum* bulbs 1084 E. Eisenreichová, M. Haladová, A. Bučková, J. Tomko, D. Uhrín and K. Ubik

Isochelidonine, a benzophenanthridine alkaloid from *Chelidonium majus* 1085 S. De Rosa and G. Di Vincenzo

Alkaloids from stem bark of *Dutaillyea baudouinii* 1087 F. Muyard, F. Bevalot, B. Laude and J. Vaquette

Book Reviews

Plant Growth Substances 1988: Edited by R. P. Pharis and S. B. Rood 1091 R. Firn

Fruit Phenolics: by J. J. Macheix, A. Fleuriet and J. Billot 1091 J. B. Harborne

Insects–Plants '89: Edited by A. Szentesi and T. Jermy 1092 J. B. Harborne

Number 4

Growth and Metabolism

Sensitivity of ATPases to silver ions suggests that silver acts outside the plasma membrane to block ethylene action 1093 M. Knee

Auxin levels at different stages of carrot somatic embryogenesis 1097 L. Michalczuk, T. J. Cooke and J. D. Cohen

Synthesis, resolution and biological activity of 7′,7′-difluoroabscisic acid 1105 P. A. Rose, S. R. Abrams and L. V. Gusta

Comparisons of various biological activities of stereoisomers of methyl jasmonate 1111 Y. Koda, Y. Kikuta, T. Kitahara, T. Nishi and K. Mori

Cellular localization of the invertase, proteinaceous inhibitor and lectin from potato tubers 1115 M. I. Isla, D. P. Leal, M. A. Vattuone and A. R. Sampietro

Influence of photosynthetically active radiation and spectral quality on UV-B-induced polyamine accumulation in soybean 1119 G. F. Kramer, D. T. Krizek and R. M. Mirecki

Hydrogen peroxide scavenging systems in vacuoles of mesophyll cells of *Vicia faba* 1127 U. Takahama

Two tropinone reducing enzymes from *Datura stramonium* transformed root cultures 1135 A. Portsteffen, B. Draeger and A. Nahrstedt

Purification and properties of two pectinesterases from tomatoes 1139 R. Pressey and F. M. Woods

Sucrose-6-phosphate levels in spinach leaves and their effects on sucrose-phosphate synthase 1143 K.-P. Krause and M. Stitt

Structural study of cell wall mannan of a *Candida albicans* (serotype A) strain 1147 H. Kobayashi, N. Shibata, T. Osaka, Y. Miyagawa, Y. Ohkubo and S. Suzuki

Inhibition of fatty acid elongation provides a basis for the action of the herbicide, ethofumesate, on surface wax formation 1155 K. O. Abulnaja, C. R. Tighe and J. L. Harwood

Effect of hormones and spermidine on the turnover of inositol-phospholipids in *Brassica* seedlings 1161 I. Dureja-Munjal, M. K. Acharya and S. Guha-Mukherjee

Petrol-induced changes in the lipid and sterol composition of three microalgae 1165 G. D. Petkov, S. T. Furnadzieva and S. S. Popov

Storage of cardiac glycosides in vacuoles of *Digitalis lanata* mesophyll cells	1167	H. Hoelz, W. Kreis, B. Haug and E. Reinhard
Antioxidative activities of *Olea europaea* leaves and related phenolic compounds	1173	B. Le Tutour and D. Guedon
Cinnamic acid bridges between cell wall polymers in wheat and phalaris internodes	1179	T. B. T. Lam, K. Iiyama and B. A. Stone
Synthesis of dehydrogenation polymer–polyose complexes by peroxidase	1185	J. Ohnishi, T. Watanabe and T. Koshijima
Differences of atropine esterase activity between intact roots and cultured roots of various tropane alkaloid-producing plants	1191	Y. Kitamura, M. Sato and H. Miura
Ecological Biochemistry		
Nitrogenous compatible solutes in drought-stressed *Medicago* spp.	1195	B. P. Naidu, L. G. Paleg and G. P. Jones
Fimbriatan, a protein from *Ceratocystis fimbriata*	1199	S. Ake, H. Darbon, L. Grillet and C. Lambert
Volatile compounds from leaves of *Ceratiola ericoides* by dynamic headspace sampling	1203	E. D. Jordan, T. C.-Y. Hsieh and N. H. Fischer
A cytotoxic principle of the brown alga *Sargassum tortile* and structures of chromenes	1209	A. Numata, S. Kanbara, C. Takahashi, R. Fujiki, M. Yoneda, Y. Usami and E. Fujita
Identification of aluminium forms in tea leaves by ^{27}Al NMR	1215	T. Nagata, M. Hayatsu and N. Kosuge
Biosynthesis		
Metabolism of L-threotetruronic acid by *Pelargonium crispum*	1219	K. Saito
Ergosterol biosynthesis and its inhibition by fenpropimorph in *Fusarium* species	1223	D. Debieu, C. Gall, M. Gredt, J. Bach, C. Malosse and P. Leroux
Cell Culture and Biotechnology		
An iridoid from *Penstemon serrulatus* cultures	1235	H. Wysokinska and Z. Skrzypek
Catechin production by callus cultures of *Fagopyrum esculentum*	1239	Y. Moumou, J. Vasseur, F. Trotin and J. Dubois
Chemotaxonomy		
Partial sequences of 18S ribosomal RNA of two genera from each of six flowering plant families	1243	D. Boulter and J. S. Gilroy
Microcystin-LA from a blue-green alga belonging to the Stigonematales	1247	M. R. Prinsep, F. R. Caplan, R. E. Moore, G. M. L. Patterson, R. E. Honkanen and A. L. Boynton
Constituents from cell suspension cultures of selected liverworts	1249	K. Ono, M. Toyota and Y. Asakawa
Dammarane and cycloartane triterpenoids from three *Rapanea* species	1251	A. H. Januário, M. F. Das G. F. Da Silva, P. C. Vieira and J. B. Fernandes
Analysis of phenolics in the bud exudates of *Populus deltoides*, *P. fremontii*, *P. sargentii* and *P. wislizenii* by GC-MS	1255	S. English, W. Greenaway and F. R. Whatley
Non-polar flavonoids of *Calycadenia*, *Lagophylla* and *Madia*	1261	B. A. Bohm, C. Fong, M. Hiebert, A. Jamal and W. J. Crins
Alkaloids, flavonols and coumarins from *Drummondita hassellii* and *D. calida*	1265	M. A. Rashid, J. A. Armstrong, A. I. Gray and P. G. Waterman

Caffeine and theobromine in green beans from *Mascarocoffea* 1271 J.-J. R. Rakotomalala, E. Cros, M. N. Clifford and A. Charrier

Plant Chemistry

Laurencione, a heterocycle from the red alga *Laurencia spectabilis* 1273 M. W. Bernart, W. H. Gerwick, E. E. Corcoran, A. Y. Lee and J. Clardy

Secoiridoid, coumarin and secoiridoid-coumarin glucosides from *Fraxinus chinensis* 1277 H. Kuwajima, M. Morita, K. Takaishi, K. Inoue, T. Fujita, Z.-D. He and C.-R. Yang

Sesquiterpenoids from two species of Celastraceae 1281 T. Yonggiang, W. Dagang, Z. Jun and C. Yaozu

Sesquiterpene lactones from *Cynara humilis* 1285 L. V. Reis, M. R. Tavares, F. M. S. B. Palma and M. J. Marcelo-Curto

Euonydin A-1–A-5, sesquiterpene esters from *Euonymus sieboldianus* 1289 K. Ujita, Y. Takaishi, A. Iida and T. Fujita

Dimeric sesquiterpenoid esters from *Chloranthus serratus* 1293 J. Kawabata and J. Mizutani

Diterpenes from *Salvia mellifera* and their biogenetic significance 1297 A. G. González, L. S. Andrés, Z. E. Aguiar and J. G. Luis

Carnosic acid 12-methyl ether-γ-lactone, a ferruginol-type diterpene from *Salvia officinalis* 1307 Z. Djarmati, R. M. Jankov, A. Djordjević, B. Ribar, D. Lazar and P. Engel

Gomojosides, labdane diterpenoids from *Viburnum suspensum* 1311 T. Iwagawa, S. Yaguchi, T. Hase, T. Okubo and M. Kim

Pomolic acid derivatives from the root of *Sanguisorba officinalis* 1317 D.-L. Cheng and X.-P. Cao

A triterpene glycoside from the fruits of *Tetrapleura tetraptera* 1321 M. Maillard, C. O. Adewunmi and K. Hostettmann

Oleanane benzoates from the bark of *Ploiarium alternifolium* 1325 G. J. Bennett, L. J. Harrison, G.-L. Sia, K.-Y. Sim and J. D. Connolly

Cucurbitacins from *Wilbrandia ebracteata* 1329 E. P. Schenkel, M. R. Farias, R. Mayer, E. Breitmaier and G. Rücker

Limonoids and protolimonoids from the fruits of *Phellodendron amurense* 1335 K. Kishi, K. Yoshikawa and S. Arihara

Triterpenoid saponins from *Sophora subprostrata* 1339 S. Sakamoto, M. Kuroyanagi, A. Ueno and S. Sekita

Triterpenoid saponins from *Triplostegia grandiflora* 1343 W.-G. Ma, D.-Z. Wang, Y.-L. Zeng and C.-R. Yang

Steroidal saponins from the rhizomes of *Smilax menispermoidea* 1349 Y. Ju and Z.-J. Jia

24*S*-Chirality of 24-alkylsterols possessing a Δ^{25}-double bond from *Polypodium formosanum* 1353 T. Akihisa, S. Takahashi, N. Sahashi, W. C. M. C. Kokke and T. Tamura

Naturally occurring stereoisomers of fucoxanthin 1359 J. A. Haugan and S. Liaaen-Jensen

7-Hydroxycoumarin derivatives from the juice oil of *Citrus hassaku* 1363 T. Masuda, Y. Muroya and N. Nakatani

Chromones from *Cnidium monnieri* 1367 K. Baba, H. Kawanishi, M. Taniguchi and M. Kozawa

Norlignan from the knot resin of *Araucaria angustifolia*	1371	H. Ohashi, S. Kawai, Y. Sakurai and M. Yasue
Neolignans and a phenylpropanoid from *Virola pavonis* leaves	1375	P. H. Ferri and L. E. S. Barata
Kadsulignans H, I, J and K from a *Kadsura* species	1379	J.-S. Liu, H.-X. Zhou and L. Li
Prenylated xanthones from *Garcinia opaca*	1383	S. H. Goh, I. Jantan, A. I. Gray and P. G. Waterman
Xanthones and secoiridoid glucosides of *Halenia campanulata*	1387	M.-C. Recio-Iglesias, A. Marston and K. Hostettmann
Complex flavonol glycosides from the leaves of *Ginkgo biloba*	1391	A. Hasler, G.-A. Gross, B. Meier and O. Sticher
Homoisoflavanones from *Chionodoxa luciliae*	1395	M. M. Corsaro, R. Lanzetta, A. Mancino and M. Parrilli
Isoflavonoids from *Iris crocea*	1399	A. S. Shawl and T. Kumar
Protoberberine alkaloids from *Coscinium fenestratum*	1403	P. M. M. Pinho, M. M. M. Pinto, A. Kijjoa, K. Pharadai, J. G. Díaz and W. Herz
Short Reports		
A nucleoside derivative from *Emericella nidulans*	1409	N. Kawahara, S. Sekita, M. Satake and S.-I. Udagawa
N^4-Methylthermospermine in leguminous seeds	1410	K. Hamana, M. Niitsu, K. Samejima and S. Matsuzaki
Amides, coumarins and other constituents from *Simsia cronquistii*	1413	E. Maldonado, E. Hernández and A. Ortega
A sesquiterpene from *Celastrus rosthorniastrus*	1415	Y. Q. Tu, Z. Z. Li and Y. Z. Chen
Rubescensin D, a diterpenoid from *Rabdosia rubescens*	1418	H. Sun, Q. Zhou, T. Fujita, Y. Takeda, Y. Minami, T. Maronaka, Z. Lin and X. Shen
ent-Clerodane diterpenoids from the liverwort *Jungermannia paroica*	1420	L. J. Harrison, J. D. Connolly and D. S. Rycroft
Crovatin, a furanoid diterpene from *Croton levatii*	1421	C. Moulis, M. Bon, J. Jaud and I. Fouraste
Triterpenoids from *Lavandula spica*	1424	G. Papanov, P. Bozov and P. Malakov
Triterpenoid saponins from roots of *Clematis grata*	1427	S. K. Uniyal and O. P. Sati
A sterol glycoside from marine green alga *Codium iyengarii*	1429	V. U. Ahmad, R. Aliya, S. Perveen and M. Shameel
Type A proanthocyanidins from *Prunus spinosa*	1432	A. G. González, A. C. Irizar, A. G. Ravelo and M. F. Fernández
Two phenolic derivatives from *Euphorbia kansui*	1435	Y.-L. Ding and Z.-J. Jia
Synthesis of hierridin, a phenol from the lichen, *Ramalina hierrensis*	1436	A. G. González, J. B. Barrera and E. M. R. Perez
Vedelianin, a hexahydroxanthene derivative isolated from *Macaranga vedeliana*	1439	O. Thoison, E. Hnawia, F. Guéritte-Voegelein and T. Sévenet
Vermilutin, a xanthone from *Penicillium vermiculatum*	1442	B. Proksa, D. Uhrín, J. Adamcova and J. Fuska
[5′,5′]-Bisdihydroquercetin: a B-ring linked biflavonoid from *Pseudotsuga menziesii*	1444	L. Y. Foo, R. Helm and J. Karchesy

Cyanidin 3-lathyroside from berries of *Fatsia japonica* 1446 N. Terahara, N. Saito, K. Toki, Y. Sakata and T. Honda

A morphinane alkaloid from roots of *Stephania cepharantha* 1448 J.-Z. Deng, S.-X. Zhao and Z.-C. Miao

Number 5

Announcement xi

Growth and Metabolism

Metabolism of (+)- and (−)-abscisic acid by somatic embryo suspension cultures of white spruce 1451 D. I. Dunstan, C. A. Bock, G. D. Abrams and S. R. Abrams

A revised structure for gibberellin GA_{52} 1455 K. V. Bhaskar, H. Fukui, N. Hirai, K. Koshimizu and L. N. Mander

Photoaffinity probes for gibberellin-binding proteins 1459 M. H. Beale, R. Hooley, S. J. Smith and R. P. Walker

Metabolism of protein and chlorophyll in leaf tissue of *Festuca pratensis* during chloroplast assembly and senescence 1465 L. P. Nock, L. J. Rogers and H. Thomas

Structures of elicitin isoforms secreted by *Phytophthora drechsleri* 1471 J.-C. Huet, C. Nespoulous and J.-C. Pernollet

A lectin from *Sechium edule* fruit exudate 1477 M. M. Vozari-Hampe, C. Viegas, C. Saucedo, S. Rosseto, G. G. Manica and O. G. Hampe

Effect of activation methods on affinity chromatography of potato polyphenol oxidase 1481 S. U. Pathak, S. K. Karyekar, V. S. Ghole and M. V. Hegde

Characterization of the ethylene-forming enzyme partially purified from melon 1485 J. J. Smith, P. Ververidis and P. John

Characterization of bispecific caffeic acid/5-hydroxyferulic acid *O*-methyltransferase from aspen 1495 R. C. Bugos, V. L. C. Chiang and W. H. Campbell

Some properties of γ-tocopherol methyltransferase solubilized from spinach chloroplasts 1499 H. Ishiko, S. Shigeoka, Y. Nakano and T. Mitsunaga

Is there rhodanese activity in plants? 1501 P. Kakes and H. Hakvoort

β-Fructosidases and *in vitro* dedifferentiation–redifferentiation of carrot cells 1507 M. P. Silva and C. P. P. Ricardo

Multiple forms of chitosanase activities 1513 S. El Ouakfaoui and A. Asselin

L-Asparaginase from developing seeds of *Lupinus arboreus* 1519 T. J. Lough, K.-S. Chang, A. Carne, B. C. Monk, P. H. S. Reynolds and K. J. F. Farnden

Modification of maize phosphoenolpyruvate carboxylase by tetranitromethane 1529 G. B. Maralihalli and A. S. Bhagwat

Biologically active labdane-type diterpene glycosides from the root-stalks of *Gleichenia japonica* 1533 K. Munesada, H. L. Siddiqui and T. Suga

Ecological Biochemistry

Glycosidically bound volatile components of *Nicotiana sylvestris* and *N. sauveolens* flowers 1537 J. H. Loughrin, T. R. Hamilton-Kemp, H. R. Burton, R. A. Andersen and D. F. Hildebrand

Sesquiterpenes from noncapitate glandular trichomes of *Helianthus annuus*	1541	O. Spring, U. Rodon and F. A. Macias
Podoandin, a molluscicidal sesquiterpene lactone from *Podocarpus andina*	1545	I. Kubo, B.-P. Ying, M. Castillo, L. S. Brinen and J. Clardy
Insecticidal activity and diterpene content of *Persea indica*	1549	A. González-Coloma, R. Cabrera, P. Castañera, C. Gutiérrez and B. M. Fraga
Minor diterpene glycosides from sweet leaves of *Rubus suavissimus*	1553	K. Ohtani, Y. Aikawa, R. Kasai, W.-H. Chou, K. Yamasaki and O. Tanaka
The sterol composition of powdery mildews	1561	R. S. T. Loeffler, J. A. Butters and D. W. Hollomon
Biosynthesis		
Stereochemistry in the biosynthesis of geranyl diphosphate by geranyl diphosphate synthase from *Pelargonium roseum*	1565	T. Endo and T. Suga
Biosynthesis of campesterol and dihydrobrassicasterol in cultured cells of *Amsonia elliptica*	1569	A. Uomori, Y. Nakagawa, S. Yoshimatsu, S. Seo, U. Sankawa and K. Takeda
Biosynthesis and molecular strain. A computational study on the conformation of cyclic bis(bibenzyl) constituents of liverwort species	1573	G. M. Keserü and M. Nógrádi
Cell Culture and Biotechnology		
A polyacetylene gentiobioside from hairy roots of *Lobelia inflata*	1577	K. Ishimaru, S. Sadoshima, S. Neera, K. Koyama, K. Takahashi and K. Shimomura
Glucosylation of butyric acid by cell suspension culture of *Nicotiana plumbaginifolia*	1581	S. Kamel, M. Brazier, G. Desmet, M.-A. Fliniaux and A. Jacquin-Dubreuil
Composition and location of phytoecdysteroids in *Ajuga reptans in vivo* and *in vitro* cultures	1585	J. Tomás, F. Camps, E. Claveria, J. Coll, E. Melé and J. Messeguer
Anthocyanins from cell suspension cultures of *Daucus carota*	1593	W. E. Gläßgen, V. Wray, D. Strack, J. W. Metzger and H. U. Seitz
Enhancement of phytoalexin accumulation in cultured plant cells by oxalate	1603	D. A. Davis, D. Tsao, J.-H. Seo, A. Emery, P. S. Low and P. Heinstein
Effect of nifedipine on alkaloid accumulation in *Catharanthus roseus* cell cultures	1609	J. M. Mérillon, D. Liu, Y. Laurent, M. Rideau and C. Viel
Chemotaxonomy		
Aurantiamine, a diketopiperazine from two varieties of *Penicillium aurantiogriseum*	1613	T. O. Larsen, J. C. Frisvad and S. R. Jensen
Lipid composition of some lichens	1617	V. M. Dembitsky, T. Rezanka and I. A. Bychek
Helenanolides, guaianolide glucosides and other constituents of two *Helenium donianum* varieties	1621	G. L. Silva, A. del V. Pacciaroni, J. C. Oberti, L. A. Espinar, J. G. Díáz and W. Herz
ent-Labdanes, manoyloxide and helipterol derivatives from *Chrysocephalum ambiguum*	1631	C. Zdero, F. Bohlmann and R. M. King
The flower flavonols of *Nicotiana* species	1639	M. E. Snook, O. T. Chortyk, V. A. Sisson and C. E. Costello

Plant Chemistry

Two diastereomeric 3-oxo-α-ionol β-D-glucosides from raspberry fruit — 1649 — A. Pabst, D. Barron, E. Sémon and P. Schreier

Cyclopentanomonoterpene enol acetates from *Nepeta leucophylla* — 1653 — A. T. Bottini, V. Dev, G. C. Shah, C. S. Mathela, A. B. Melkani, A. T. Nerio and N. S. Sturm

Sesquiterpenes from the roots of *Homalomena aromatica* — 1659 — T. V. Sung, L. Kutschabsky, A. Porzel, W. Steglich and G. Adam

Humulane derivatives from *Nauplius intermedius* — 1663 — F. Bohlmann and A. Pauls

Two azulenes produced by the liverwort, *Calypogeia azurea*, during *in vitro* culture — 1667 — S. Nakagawara, K. Katoh, T. Kusumi, H. Komura, K. Nomoto, H. Konno, S. Huneck and R. Takeda

Ten azulenes from *Plagiochila longispina* and *Calypogeia azurea* — 1671 — U. Siegel, R. Mues, R. Dönig, Th. Eicher, M. Blechschmidt and H. Becker

Two norditerpenes with an isopimarane skeleton from *Vellozia variabilis* — 1679 — A. C. Pinto, R. de A. Epifanio, M. Pizzolatti, C. M. Rezende and B. R. Silva

Diterpenes from *Vellozia patens* — 1681 — A. C. Pinto, M. R. Figueiredo and R. de A. Epifanio

Diterpenoids having *ent*-kaurene and *ent*-spiro-*seco*-kaurene skeletons from *Rabdosia longituba* — 1687 — Y. Takeda, A. Ikawa, T. Matsumoto, H. Terao and H. Otsuka

Diterpenes and diterpene quinones from the roots of *Salvia apiana* — 1691 — A. G. González, Z. E. Aguiar, T. A. Grillo and J. G. Luis

Rearranged abietane diterpenoids from the root of two *Teucrium* species — 1697 — M. J. S. Cuadrado, M. Bruno, M. C. de la Torre, F. Piozzi, G. Savona and B. Rodríguez

Clerodane and labdane derivatives from *Olearia teretifolia* — 1703 — C. Zdero, F. Bohlmann and R. M. King

8-Hydroxy-labdanes from *Juniperus thurifera* — 1713 — A. San Feliciano, J. M. Miguel del Corral, J. L. Lopez and B. de Pascual-Teresa

Labdane acids from polar extracts of *Juniperus thurifera* — 1719 — A. San Feliciano, J. M. Miguel del Corral, J. L. Lopez and B. de Pascual-Teresa

Furolabdanes and linear diterpenes from *Gutierrezia resinosa* — 1723 — C. Zdero, F. Bohlmann and H. M. Niemeyer

Homoditerpenes from the essential oil of *Tanacetum annuum* — 1727 — A. F. Barrero, J. F. Sánchez, J. Altarejos and M. J. Zafra

Diterpenes and a lignan from *Jatropha grossidentata* — 1731 — G. Schmeda-Hirschmann, F. Tsichritzis and J. Jakupovic

Pfaffane-type nortriterpenoids from *Pfaffia pulverulenta* — 1737 — Y. Shiobara, S.-S. Inoue, Y. Nishiguchi, K. Kato, T. Takemoto, N. Nishimoto, F. de Oliveira, G. Akisue, M. K. Akisue and G. Hashimoto

24-Methylene-25-methylcycloartanol and 24α-ethyl-5α-cholestan-3α-ol from *Neolitsea sericea*	1741	K. YANO, T. AKIHISA, R. KAWAGUCHI, T. TAMURA and T. MATSUMOTO
Oleanane glycosides from *Glycyrrhiza yunnanensis* roots	1747	K. OHTANI, K. OGAWA, R. KASAI, C.-R. YANG, K. YAMASAKI, J. ZHOU and O.TANAKA
Steroidal glycosides from the bulbs of *Lilium dauricum*	1753	Y. MIMAKI, N. ISHIBASHI, K. ORI and Y. SASHIDA
4α-Methylvernosterol and other sterols from *Vernonia anthelmintica* seeds	1759	T. AKIHISA, Y. HAYASHI, G. W. PATTERSON, N. SHIMIZU and T. TAMURA
Sterols of *Cajanus cajan* and three other Leguminosae seeds	1765	T. AKIHISA, Y. NISHIMURA, N. NAKAMURA, K. ROY, P. GHOSH, S. THAKUR and T. TAMURA
24β-Methyl-5α-cholest-9(11)-en-3β-ol, two 24β-alkyl-$\Delta^{5,7,9(11)}$-sterols and other 24β-alkylsterols from *Chlorella vulgaris*	1769	T. AKIHISA, T. HORI, H. SUZUKI, T. SAKOH, T. YOKOTA and T. TAMURA
Saponins from *Trifolium repens*	1773	S. SAKAMOTO, S. KOFUJI, M. KUROYANAGI, A. UENO and S. SEKITA
Pyrrhoxanthin, reisolation and absolute configuration	1779	T. AAKERMANN and S. LIAAEN-JENSEN
Gingerdiol related compounds from the rhizomes of *Zingiber officinale*	1783	H. KIKUZAKI, S.-M. TSAI and N. NAKATANI
A phthalide and 2-farnesyl-6-methyl benzoquinone from *Ligusticum chuangxiong*	1787	T. NAITO, K. NIITSU, Y. IKEYA, M. OKADA and H. MITSUHASHI
Aloechrysone, a dihydroanthracenone from *Aloe berhana*	1791	E. DAGNE, I. CASSER and W. STEGLICH
Budmunchiamines D–I from *Albizia amara*	1795	J. M. PEZZUTO, W. MAR, L.-Z. LIN, G. A. CORDELL, A. NESZMÉLYI and H. WAGNER
Betacyanins from flowers of *Gomphrena globosa*	1801	S. HEUER, V. WRAY, J. W. METZGER and D. STRACK
Short Reports		
Long-chain compounds from *Leucas aspera*	1809	T. N. MISRA, R. S. SINGH, H. S. PANDEY and S. SINGH
Antifungal essential oil and a long chain alcohol from *Achyranthes aspera*	1811	T. N. MISRA, R. S. SINGH, H. S. PANDEY, C. PRASAD and B. P. SINGH
Free and bound 6,9-dihydroxymegastigm-7-en-3-one in *Vitis vinifera* grapes and wine	1813	M. A. SEFTON, P. WINTERHALTER and P. J. WILLIAMS
Sesquiterpene alcohols from *Gonospermum fructicosum*	1816	A. G. GONZÁLEZ, J. B. BARRERA, J. T. MÉNDEZ, M. L. SÁNCHEZ and J. L. E. MARTÍNEZ
Sesquiterpene lactones and other constituents of *Stevia jujuyensis*	1818	A. N. DE GUTIERREZ, C. A. N. CATALAN, J. G. DIÁZ and W. HERZ
Sesquiterpene lactones and other constituents of *Tanacetum* species	1821	A. G. GONZÁLEZ, J. B. BARRERA, J. T. MÉNDEZ, M. L. SÁNCHEZ and J. L. E. MARTÍNEZ
Tetranorditerpenes from *Detarium microcarpum*	1823	R. AQUINO, M. L. CIAVATTA, N. DE TOMMASI and E. GÀCS-BAITZ

Triterpenoids from *Dittrichia viscosa* 1826 M. Grande, P. Torres, F. Piera and I. S. Bellido

Cytotoxic pyranocoumarins from roots of *Peucedanum japonicum* 1829 C.-Y. Duh, S.-K.Wang and Y.-C. Wu

Flavonoids and 3-phenylcoumarins from the seeds of *Pachyrhizus tuberosus* 1831 A. F. Magalhães, B. H. L. N. Sales, E. G. Magalhães and I. F. M. Valio

5,8-Dihydroxy-7-methoxyflavone from the immature leaves of *Didymocarpus pedicellata* 1833 P. K. Guha and A. Bhattacharyya

An aporphine-benzylisoquinoline alkaloid from *Berberis waziristanica* 1835 Atta-ur-Rahman and H. Ahmad

N-Hydroxysolasodine from *Solanum robustum* 1837 H. Ripperger and A. Porzel

Book Reviews

Plant Signalling, Plasma Membrane and Change of State: edited by C. Penel and H. Greppin 1841 G. P. Bolwell

Bryophytes, their Chemistry and Chemical Taxonomy: edited by H. D. Zinsmeister and R. Mues 1841 J. B. Harborne

Phytochemical Induction by Herbivores: edited by D. W. Tallamy and M. J. Raupp 1842 J. B. Harborne

Enzyme Handbook, Volume 1, Class 4: Lyases: edited by D. Schomburg and M. Salzmann 1842 J. B. Harborne

Journal Review

Phytochemical Analysis: An International Journal of Plant Biochemical Techniques: edited by B. V. Charlwood 1843 E. A. Bell

Number 6

Announcement xi

Review Article Number 66

NADP-malic enzyme from plants 1845 G. E. Edwards and C. S. Andreo

Growth and Metabolism

Induction of alcoholic and lactic fermentation in the early stages of anaerobic incubation of higher plants 1859 V. Y. Andreev and B. B. Vartapetian

Cytokinins in exudates from leaves and roots of red *Perilla* 1863 A. Grayling and D. E. Hanke

Gibberellins A_{82} and A_{83} in seed of *Lupinus albus* 1869 P. Gaskin, G. V. Hoad, J. Macmillan, I. K. Makinson and J. E. Readman

Biological activity of *Zea mays* isolated adenosine and guanosine 3′,5′-cyclic monophosphate by protein phosphorylation of membrane fractions from *Drosophila* brain 1879 B. Janistyn and R. Ebermann

A study on the inactivation of maize leaves NADP-malic enzyme by 3-bromopyruvate 1883 M. F. Drincovich and C. S. Andreo

Identification and subcellular localization of two isoenzymes of apyrase from *Solanum tuberosum* 1889 A. M. Kettlun, M. Leyton, M. A. Valenzuela, M. Mancilla and A. Traverso-Cori

Anionic peroxidase catalysed ascorbic acid and IAA oxidation in the presence of hydrogen peroxide: a defence system against peroxidative stress in peanut plant 1895 X. Zheng and R. B. van Huystee

Involvement of plant chitinase in sexual reproduction of higher plants	1899	D. W. M. Leung
Purification of soluble invertase from potato	1901	L. R. Burch, H. V. Davies, E. M. Cuthbert, G. C. Machray, P. Hedley and R. Waugh
AMP deaminase and the control of adenylate catabolism in suspension-cultured *Catharanthus roseus* cells	1905	N. Yabuki and H. Ashihara
Amino acid pools in nutrient limited *Cyanidium caldarium* and responses to resupply	1911	V. Di Martino Rigano, C. Di Martino, V. Vona, S. Esposito and C. Rigano
Low molecular weight solutes in desiccated and ABA-treated calli and leaves of *Craterostigma plantagineum*	1917	G. Bianchi, A. Gamba, C. Murelli, F. Salamini and D. Bartels
Non-hydrolysable macromolecular constituents from outer walls of *Chlorella fusca* and *Nanochlorum eucaryotum*	1923	S. Derenne, C. Largeau, C. Berkaloff, B. Rousseau, C. Wilhelm and P. G. Hatcher
Cell wall changes in immature *Asparagus* stem tissue after excision	1931	K. W. Waldron and R. R. Selvendran
Relative importance of growth and light level on terpene content of *Ginkgo biloba*	1941	V. Flesch, M. Jacques, L. Cosson, B. P. Teng, V. Petiard and J. P. Balz
Antioxidant activity of flavonoids from *Sideritis javalambrensis*	1947	J. L. Rios, S. Mañez, M. Paya and M. J. Alcaraz
Alterations to the permeability of liposome membranes by the solasodine-based glycoalkaloids solasonine and solamargine	1951	J. G. Roddick, A. L. Rijnenberg and M. Weissenberg
Ecological Biochemistry		
The protective role of cycasin in cycad-feeding Lepidoptera	1955	R. J. Nash, E. A. Bell and P. R. Ackery
Egg protection by the Atala Hairstreak butterfly (*Eumaeus atala florida*)	1959	M. Rothschild
Polar lipids in healthy and *Phytophthora capsici*-infected leaflets of *Lycopersicon esculentum*	1961	M.-C. Soulie, G. Bompeix and D. Laval-Martin
Potential allelopathic activity of several sesquiterpene lactone models	1969	F. A. Macías, J. C. G. Galindo and G. M. Massanet
Antiviral caffeoyl esters from *Spondias mombin*	1979	J. Corthout, L. Pieters, M. Claeys, D. Vanden Berghe and A. Vlietinck
An antifungal chromene from *Eupatorium riparium*	1983	B. M. Ratnayake Bandara, C. M. Hewage, V. Karunaratne, G. P. Wannigama and N. K. B. Adikaram
Zearalenone derivatives produced by the fungus *Drechslera portulacae*	1987	F. Sugawara, K.-W. Kim, K. Kobayashi, J. Uzawa, S. Yoshida, N. Murofushi, N. Takahashi and G. A. Strobel
Biosynthesis		
Biosynthesis of neuroactive amino acids by cysteine synthases in *Lathyrus latifolius*	1991	F. Ikegami, S. Horiuchi, M. Kobori, I. Morishige and I. Murakoshi
Phenylalanine is the biogenetic precursor of *meta*-hydroxylated zierin, the aromatic cyanogenic glucoside of unripe akenes of *Xeranthemum cylindraceum*	1997	A. Nahrstedt and Ph. Schwind

Cell Culture and Biotechnology

Quaternary ammonium compounds in intact plants and cell suspension cultures of *Atriplex semibaccata* and *A. halimus* during osmotic stress — 2003 — M. A. H. Koheil, S. H. Hilal, T. S. El-Alfy and E. Leistner

Enantio- and diastereoselectivity in the biotransformation of carveols by *Euglena gracilis* Z — 2009 — Y. Noma and Y. Asakawa

Isolation of illudin M, illudinine and shisool from the mushroom *Clitocybe phosphorea*; biotransformation of perillyl alcohol and aldehyde — 2013 — R. Cardillo, G. Nasini and O. Vajna De Pava

Phenolic constituents in tissue cultures of *Phyllanthus niruri* — 2015 — K. Ishimaru, K. Yoshimatsu, T. Yamakawa, H. Kamada and K. Shimomura

Biotransformation of ethyl 2-acetylamino-2-carbethoxy-4-(phenylsulphinyl)-butanoate by cell suspensions of *Catharanthus roseus* and *Thevetia neriifolia* — 2019 — A. M. D. Barros, L. Cosson, M. Foulquier, S. Labidalle, J. Osuku-Opio, H. Galons, M. Miocque and A. Jacquin-Dubreuil

Chemotaxonomy

C-8 epimeric iridoid glycosides of *Cordylanthus* (Scrophulariaceae) species — 2021 — M. R. Justice, S. R. Baker and F. R. Stermitz

Flavonoids from *Cistus ladanifer* bee pollen — 2027 — F. Tomás-Lorente, M. M. Garcia-Grau, J. L. Nieto and F. A. Tomás-Barberán

Alkaloid distribution in Malaysian *Uncaria* — 2031 — T.-S. Kam, K.-H. Lee and S.-H. Goh

Plant Chemistry

Four polyacetylene glucosides from *Bidens campylotheca* — 2035 — R. Bauer, K. Redl and B. Davis

Aplotaxene derivatives from *Cirsium helenioides* — 2039 — L. P. Christensen

An α-ionol disaccharide glycoside from raspberry fruit — 2043 — A. Pabst, D. Barron, E. Sémon and P. Schreier

Three sesquiterpenes produced by the fungus *Laurilia sulcata* — 2047 — A. Arnone, G. Nasini, G. Assante and G. W. van Eijk

Sesquiterpene lactones and other constituents from *Rudbeckia mollis* — 2051 — M. Vasquez, L. Quijano, L. E. Urbatsch and N. H. Fischer

Epoxychiromodine and other constituents of *Croton megalocarpus* — 2055 — I. Addae-Mensah, H. Achenbach, G. N. Thoithi, R. Waibel and J. W. Mwangi

Eight picrotoxane terpenoids, picrodendrins K–R, from *Picrodendron baccatum* — 2059 — Y. Suzuki, K. Koike and T. Ohmoto

Mansumbinane derivatives from stem bark of *Commiphora kua* — 2065 — G. J. Provan, A. I. Gray and P. G. Waterman

Triterpenes from *Maytenus canariensis* and synthesis of a derivative from betulin — 2069 — A. G. González, I. A. Jiménez and A. G. Ravelo

Ring-A fissioned 3,4-*seco*-3-*nor*-triterpene-2-aldehydes and related pentacyclic triterpenoids from the leaf wax of *Hoya australis* — 2073 — W. J. Baas, I. E. M. van Berkel, C. Versluis, W. Heerma and M. N. Kreyenbroek

Triterpenoid saponins from *Argania spinosa* — 2079 — Z. Charrouf, J. M. Wieruszeski, S. Fkih-Tetouani, Y. Leroy, M. Charrouf and B. Fournet

Tragopogonosides A–I, oleanane saponins from *Tragopogon pratensis* — 2087 — T. Miyase, H. Kohsaka and A. Ueno

Four 4α-methylsterols and triterpene alcohols from *Neolitsea aciculata*	2093	K. YANO, T. AKIHISA, T. TAMURA and T. MATSUMOTO
Steroidal constituents from *Amalocalyx yunnanesis*	2099	HU YING-JIE, SHEN XIAO-LING, MU QAN-ZHANG, LU YANG and ZHENG QI-TAI
Quinones and tetracosanolide in *Ventilago bombaiensis*	2103	S. B. PEPALLA, S. R. JAMMULA, K. V. JAGANNADHA RAO and R. H. THOMSON
Meroterpenes from *Cystoseira usneoides* II	2105	J. G. URONES, M. E. M. ARAUJO, F. M. S. BRITO PALMA, P. BASABE, I. S. MARCOS, R. F. MORO, A. M. LITHGOW and J. PINEDA
Caffeoylquinic acids from flowers of *Arnica montana* and *Arnica chamissonis*	2111	I. MERFORT
Isolation of secoisolariciresinol diesters from stems of *Simaba cuneata*	2115	E. RODRIGUES FO., J. B. FERNANDES, P. C. VIEIRA and M. F. DAS G. F. DA SILVA
Flavan-3-ol gallates and proanthocyanidins from *Pithecellobium lobatum*	2117	M.-W. LEE, S. MORIMOTO, G.-I. NONAKA and I. NISHIOKA
Two chalcones from *Tephrosia spinosa*	2121	E. VENKATA RAO and Y. RAJENDRA PRASAD
Tepanone, a retrochalcone from *Ellipeia cuneifolia*	2123	S. M. COLEGATE, L. B. DIN, E. L. GHISALBERTI and A. LATIFF
Chemical structures of two anthocyanins from purple sweet potato, *Ipomoea batatas*	2127	K. ODAKE, N. TERAHARA, N. SAITO, K. TOKI and T. HONDA
6-Hydroxygalangin and *C*-prenylated kaempferol derivatives from *Platanus acerifolia* buds	2131	M. KAOUADJI, S. CHIRON, J. GARCIA, F. THOMASSON, M. TISSUT and P. RAVANEL
Four diterpenoid alkaloids from *Delphinium elatum*	2135	K. WADA, T. YAMAMOTO, H. BANDO and N. KAWAHARA
Two betaine-type alkaloids from Egyptian *Pancratium maritimum*	2139	A. H. ABOU-DONIA, A.-A. ABIB, A. S. EL DIN, A. EVIDENTE, M. GABER and A. SCOPA
Short Reports		
A secoiridoid glucoside from *Fraxinus formosana*	2143	T. TANAHASHI, H. WATANABE, A. ITOH, N. NAGAKURA, K. INOUE, M. ONO, T. FUJITA and C.-C. CHEN
Sesquiterpenes and a diterpene lactone with an unusual carbon skeleton from *Ligularia sagitta*	2146	H. CHEN, Z. JIA and L. YANG
Bisabolane sesquiterpenes and a 2-phenoxychromone from *Rosa woodsii* leaves	2148	Y. HASHIDOKO, S. TAHARA and J. MIZUTANI
Cyclomyltaylane, a tetracyclic sesquiterpene hydrocarbon from *Bazzania tridens*	2150	C.-L. WU and S.-J. CHANG
A sesquiterpene alcohol from *Litsea amara*	2153	S. A. ACHMAD, E. L. GHISALBERTI, E. H. HAKIM, L. MAKMUR and M. MANURUNG
A sesquiterpene polyol ester from *Celastrus rosthornianus*	2155	Y. Q. TU
Revised structure of *seco*-tanapartholide B	2158	R. X. TAN and Z. J. JIA
Sesquiterpene lactones from *Achillea micrantha*	2160	N. A. R. HATAM, N. J. YOUSIF, A. PORZEL and K. SEIFERT

Sesquiterpene lactones from *Picris echioides* 2163 J. A. Marco, J. F. Sanz and M. Carda

Bitter guaianolides from *Eriocephalus punctulatus* 2165 M. T. Davies-Coleman, R. B. English and D. E. A. Rivett

A tricyclic diterpene from *Eremophila serrulata* 2168 E. L. Ghisalberti

The absolute configuration of chiromodine 2170 E. Weckert, K. Hümmer, I. Addae-Mensah and H. Achenbach

Neo-clerodane diterpenoids from *Musa balbisiana* seeds 2173 M. Ali

Anthraquinones from heartwood of *Cassia siamea* 2176 V. Singh, J. Singh and J. P. Sharma

Jensenone, a ketone from *Eucalyptus jensenii* 2178 D. J. Boland, J. J. Brophy and C. J. R. Fookes

2′-Cinnamoylsalicortin, a phenolic glycoside from *Salix sericea* 2180 C. M. Nichols-Orians, T. P. Clausen, R. S. Fritz, P. B. Reichardt and J. Wu

p-Hydroxyacetophenone derivatives from *Werneria ciliolata* 2182 S. Piacente, R. Aquino, N. de Tommasi, O. Lock de Ugaz and H. C. Orellana

Dihydroflavonols from *Prunus domestica* 2185 V. S. Parmar, A. Vardhan, G. R. Nagarajan and R. Jain

Flavonoids of *Cassia italica* 2187 N. H. El-Sayed, A. M. A. Dooh, E. A. M. El-Khrisy and T. J. Mabry

Stem alkaloids of *Fumaria indica* 2188 V. K. Tripathi and V. B. Pandey

A steroidal alkaloid from *Fritillaria ebeiensis* 2190 L. Ping, Y. Kitamura, K. Kaneko, M. Shiro, X. Guo-Jun, C. Yuh-Pan and H. Hong-Yen

Book Review
Eucalyptus Leaf Oils: Use, Chemistry, Distillation and Marketing: edited by D. J. Boland, J. J. Brophy and A. P. N. House 2193 I. Southwell

Errata and Corrigenda 2195

Number 7

Review Article Number 67
Triterpenoids 2199 S. B. Mahato, A. K. Nandy and G. Roy

Growth and Metabolism
Calcium-dependent protein phosphorylation in morning glory hypocotyls 2251 H. Sakamoto and S. Shibata

Phorbol myristate acetate replaces phytochrome-mediated stimulation of nitrate reductase in maize 2255 M. R. Chandok and S. K. Sopory

Arginine and lysine residues as NADH-binding sites in NADH-nitrate reductase from spinach 2259 Y. Sato, N. Shiraishi, T. Sato, N. Ogura and H. Nakagawa

Cassava leaf β-glucosidase specificity and inhibition 2263 H.-H. Yeoh and H.-C. Woo

A macromolecular inhibitor of glutamine synthetase activity in tomato root extracts 2267 F. Gallardo and F. M. Cánovas

Demonstration of geranyl diphosphate synthase in several higher plants 2273 T. Endo and T. Suga

The polyglutamate nature of plant folates 2277 L.-L. Zheng, Y. Lin, S. Lin and E. A. Cossins

Free polyamines in *Cicer arietinum* seeds during the onset of germination 2283 M. Gallardo, M. Bueno, T. Angosto, E. Gallardo and A. J. Matilla

Correlation between chilling sensitivity of plant tissues and fatty acid composition of phosphatidylglycerols 2289 T. Matsuo, S. Ide and M. Shitida

Phenolic lipid composition during development of cashew 2295 S. V. Shobha, P. R. Krishnaswamy and B. Ravindranath

Developmental variations in leaf flavonoid aglycones of *Mentha* × *piperita* 2299 B. Voirin and C. Bayet

Ecological Biochemistry

Effects of C_6–C_{10} alkenals and alkanals on eliciting a defence response in the developing cotton boll 2305 H. J. Zeringue, Jr

Lipid and sterol changes in leaves of *Haberlea rhodopensis* and *Ramonda serbica* at transition from biosis into anabiosis and vice versa caused by water stress 2309 K. Stefanov, Y. Markovska, G. Kimenov and S. Popov

Floral fragrance disparity between three taxa of Lady's slipper *Cypripedium calceolus* (Orchidaceae) 2315 G. Bergström, G. Birgersson, I. Groth and L. A. Nilsson

Triterpene constituents of the dwarf birch, *Betula glandulosa* 2321 D. E. Williams, A. R. E. Sinclair and R. J. Andersen

Porritoxin, a phytotoxin of *Alternaria porri* 2325 R. Suemitsu, K. Ohnishi, M. Horiuchi, A. Kitaguchi and K. Odamura

Biosynthesis

The occurrence of 4-chlorotryptophane in *Vicia faba* 2327 A. Fock, J. Kettner and M. Böttger

o-Succinylbenzoate: coenzyme A ligase from anthraquinone producing cell suspension cultures of *Galium mollugo* 2329 H.-J. Sieweke and E. Leistner

L-Stizolobic acid and L-stizolobinic acid from *Clitocybe acromelalga*, precursors of acromelic acids 2337 S. Fushiya, S. Sato and S. Nozoe

Ether lipids from *Botryococcus braunii* and their biosynthesis 2341 P. Metzger and E. Casadevall

Cell Culture and Biotechnology

Fatty acid patterns of neutral lipids from seeds, leaves and cell suspension cultures of *Euphorbia characias* 2351 F. Carriere, P. Chagvardieff, G. Gil, M. Pean, J.-C. Sigoillot and P. Tapie

Uncommon type of hydroxylation of 3-alkenylsubstituted derivatives of citronellol and citronellic acid by *Spirodela punctata* 2355 P. Pawłowicz, C. Wawrzeńczyk and A. Siewiński

Effect of phytohormones on sesquiterpene lactone production in callus culture of *Ambrosia tenuifolia* 2359 M. E. Goleniowski, G. L. Silva and V. S. Trippi

Chemotaxonomy

A chemotaxonomic study of sesquiterpene lactones from subtribe Centaureinae of the Compositae 2363 G. Nowak

Pyrrolizidine alkaloid chemosystematics in *Amsinckia* 2369 R. B. Kelley and J. N. Seiber

Plant Chemistry

γ-Glutamyl peptides from *Allium sativum* bulbs 2389 M. Mütsch-Eckner, B. Meier, A. D. Wright and O. Sticher

Three nitropropanoyl esters of glucose from *Indigofera linnaei*	2393	W. Majak, M. Benn, D. McEwan and M. A. Pass
An *N*-methyl aristolactam and an oxygenated cyclohexane derivative from *Piper ribesioides*	2397	N. Ruangrungsi, S. Prathanturarug, G. L. Lange and M. G. Organ
All-*cis*-3,6,9,12,15-octadecapentaenoic acid from the unicellular alga *Gymnodinium kowalevskii*	2401	D. V. Kuklev, N. A. Aizdaicher, A. B. Imbs, V. V. Bezuglov and N. A. Latyshev
Rearranged tetrahydrofurans from *Chaetomium cochlioides*	2405	W.-R. Abraham and H.-A. Arfmann
Caryophyllene derivatives from *Pulicaria dysenterica*	2409	J. A. Marco, J. F. Sanz and R. Albiach
Diterpenes from *Gnaphalium pellitum* and *Gnaphalium graveolens*	2415	R. Torrenegra, J. Pedrozo, J. Robles, R. Waibel and H. Achenbach
Microstegiol, a rearranged diterpene from *Salvia microstegia*	2419	A. Ulubelen, G. Topcu, N. Tan, L.-J. Lin and G. A. Cordell
Withanolides of *Datura metel*	2423	M. Gupta, M. Manickam, S. C. Sinha, A. Sinha-Bagchi and A. B. Ray
Minor C_{29}-steroids from the marine red alga, *Gracilaria edulis*	2427	B. Das and K. V. N. S. Srinivas
Denfigenin, a diosgenin derivative from *Dendrobium fimbriatum*	2431	S. K. Talapatra, A. Bhaumik and B. Talapatra
A γ-pyronyl-triterpenoid saponin from *Pisum sativum*	2435	S. Tsurumi, T. Takagi and T. Hashimoto
Steroidal saponins from *Smilax riparia* and *S. china*	2439	Y. Sashida, S. Kubo, Y. Mimaki, T. Nikaido and T. Ohmoto
Steroidal saponins from the rhizomes of *Smilax sieboldii*	2445	S. Kubo, Y. Mimaki, Y. Sashida, T. Nikaido and T. Ohmoto
A dammarane saponin from *Neoalsomitra integrifoliola*	2451	Chiu Minghua, Nie Ruilin, H. Nagasawa, A. Isogai, Zhou Jun and A. Suzuki
Cycloartane-type sapogenins and their glycosides from *Curculigo orchioides*	2455	J.-P. Xu and R.-S. Xu
Cardenolide triosides of oleander leaves	2459	F. Abe and T. Yamauchi
Two gallates from *Quercus glauca*	2465	S.-Y. Sheu, F.-L. Hsu and Y.-C. Lin
Lignan glycosides from stems of *Salvadora persica*	2469	M. S. Kamel, K. Ohtani, M. H. Assaf, R. Kasai, M. A. El-Shanawani, K. Yamasaki, A. A. Ali and O. Tanaka
Isodaurinol, an arylnaphthalene lignan from *Haplophyllum cappadocicum*	2473	B. Gözler, G. Arar, T. Gözler and M. Hesse
Two glycosides from roots of *Asiasarum sieboldi*	2477	K. Hashimoto, T. Katsuhara, K. Niitsu, Y. Ikeya, M. Okada and H. Mitsuhashi

6-*C*-Formyl and 6-*C*-hydroxymethyl flavanones from *Petiveria alliacea*	2481	F. D. Monache and L. E. C. Suarez
Flavonoid glycosides from *Erica cinerea*	2483	B. Bennini, A. J. Chulia, M. Kaouadji and F. Thomasson
Five complex flavonoids in the farinose exudate of *Pityrogramma calomelanos*	2487	F. Asai, M. Iinuma, T. Tanaka, M. Takenaka and M. Mizuno
Epiafzelechin-(4$\beta \rightarrow 8, 2\beta \rightarrow O \rightarrow 7$)-*ent*-afzelechin from *Cassipourea gerrardii*	2491	S. E. Drewes, C. W. Taylor, A. B. Cunningham, D. Ferreira, J. A. Steenkamp and C. H. L. Mouton
Aporphine alkaloids of *Aromadendron elegans*	2495	S. H. Goh and I. Jantan
Canthin-6-one alkaloids from *Picrolemma granatensis*	2499	E. Rodrigues Fo., J. B. Fernandes, P. C. Vieira and M. F. das G. F. da Silva
Carbazole alkaloids from *Glycosmis pentaphylla*	2503	S. S. Jash, G. K. Biswas, S. K. Bhattacharyya, P. Bhattacharyya, A. Chakraborty and B. K. Chowdhury
Indole alkaloids from *Aspidosperma pruinosum*	2507	D. S. Nunes, L. Koike, J. J. Taveira and F. de A. M. Reis
Pyrrolizidine alkaloids from *Amsinckia*	2513	R. B. Kelley and J. N. Seiber
Short Reports		
Confirmation of structure for the new 11β-hydroxy gibberellin GA_{84}	2519	P. Kraft-Klaunzer and L. N. Mander
Aleppotrioloside, an aliphatic alcohol glycoside from *Adonis aleppica*	2522	G. F. Pauli, U. Matthiesen and P. Junior
4-Hydroxy-8,11-oxidoheneicosanol and other constituents from *Chlorophytum arundinaceum* roots	2525	M. Tandon, Y. N. Shukla and R. S. Thakur
A thymol derivative from *Calea nelsonii*	2527	E. Maldonado, C. L. Márquez and A. Ortega
A biologically active guaianolide from *Saussurea lappa*	2529	I. P. Singh, K. K. Talwar, J. K. Arora, B. R. Chhabra and P. S. Kalsi
Macrocyclic lactones in radiata pine forest floor litter	2532	R. A. Franich
Sesquiterpenes from *Artemisia rutifolia*	2534	R. X. Tan and Z. J. Jia
A sesquiterpene alcohol from the fruits of *Laurus nobilis*	2537	G. Appendino, S. Tagliapietra, G. M. Nano and M. Cisero
A sesquiterpene ester from *Lactuca serriola*	2539	J. A. Marco, J. F. Sanz and R. Albiach
A diterpene from the marine brown alga *Dictyota bartayresii*	2541	G. M. König, A. D. Wright, R. de Nys and O. Sticher
A bitter-tasting trihomolabdane arabinoside from *Baccharis gaudichaudiana*	2543	F. Fullas, D. D. Soejarto and A. D. Kinghorn
A triterpenoid from the root-bark of *Chiococca alba*	2546	J. Bhattacharyya and E. V. L. Cunha
A lanostane triterpenoid from *Poria cocos*	2548	T. Tai, A. Akahori and T. Shingu
A phenolic withanolide from *Jaborosa leucotricha*	2550	A. S. Veleiro, C. E. Trocca, G. Burton and J. C. Oberti

A triterpenoid saponin from *Phytolacca esculenta* 2552 Y. H. Yi

Bayogenin and asterogenic acid glycosides from *Bellis perennis* 2555 T. Schöpke, V. Wray, A. Kunath and K. Hiller

24β-Ethylcholest-4-en-3β-ol from the roots of *Lawsonia inermis* 2558 S. Gupta, M. Ali, M. S. Alam, M. Niwa and T. Sakai

Shoreaphenol, a polyphenol from *Shorea robusta* 2561 A. Saraswathy, K. K. Purushothaman, A. Patra, A. K. Dey and A. B. Kundu

A pyranodihydrobenzoxanthone epoxide from *Artocarpus communis* 2563 C.-N. Lin, W.-L. Shieh and T.-T. Jong

A *C*-methyl chalcone from *Dalea caerullea* 2565 A. G. González, Z. E. Aguiar, J. G. Luis, A. Rivera, J. Calle and G. Gallo

Agamanone, a flavanone from *Agave americana* 2567 V. S. Parmar, H. N. Jha, A. K. Gupta and A. K. Prasad

Myricetin 3′-rhamnoside-3-galactoside from *Buchanania lanzan* (Anacardiaceae) 2569 R. Arya, V. Babu, M. Ilyas and K. T. Nasim

A steroidal alkaloid from *Pachysandra axillaris* 2571 Chiu Minghua, Nie Ruilin and Zhou Jun

Pyrrolizidine alkaloids from *Eupatorium fortunei* 2573 K. Liu, E. Roeder, H. L. Chen and X. J. Xiu

Number 8

Review Article Number 68

Purine and purine alkaloid metabolism in *Camellia* and *Coffea* plants 2575 T. Suzuki, H. Ashihara and G. R. Waller

Growth and Metabolism

γ-Irradiation damage to latex vacuole membranes of *Chelidonium majus* 2585 M. Satô, M. Watanabe and A. Hiraoka

Changes in ribonucleic acid and polyribosomes as related to ribonuclease activities during development and germination of the castor bean seed 2591 C. F. Winchcombe and J. D. Bewley

Characterization of two enone reductases from *Nicotiana tabacum* cell cultures 2599 Yi-Xiong Tang and T. Suga

Wall-bound α-glucosidase of suspension-cultured sugar-beet cells 2605 Y. Yamasaki and H. Konno

Partial purification and characterization of a hydroxamic acid glucoside β-D-glucosidase from maize 2609 L. Cuevas, H. M. Niemeyer and L. M. V. Jonsson

Purification and characterization of the major acid phosphatase isozyme secreted by maize endosperm cultures 2613 J. A. Miernyk

Immunologically active metallic ion-containing polysaccharides of *Achyrocline satureioides* 2617 J. Puhlmann, U. Knaus, L. Tubaro, W. Schaefer and H. Wagner

Isotopic fractionation during cellulose synthesis in two mangrove species: salinity effects 2623 N. Ish-Shalom-Gordon, G. Lin and L. D. S. L. Sternberg

Changes in galactolipid and phospholipid levels of tomato fruits stored at chilling and nonchilling temperatures 2627 B. D. Whitaker

Recovery of glucose from glucolipids in cell wall glucans in cotton fibres 2631 R. L. Palmer and W. M. Dugger

Distribution of long chain aldehyde-forming activity from fatty acids and changes in its activity with growth in marine algae	2635	T. Kajiwara, A. Hatanaka, K. Matsui, T. Tomoi, T. Fujimura and T. Kawai
Generation of lysoglyceroglycolipids in the cyanobacterium, *Phormidium tenue*	2641	N. Murakami, T. Morimoto, T. Ueda, S.-I. Nagai, J. Sakakibara and N. Yamada
Metabolism of (+)-abscisic acid to (+)-7′-hydroxyabscisic acid by bromegrass cell cultures	2645	C. R. Hampson, M. J. T. Reaney, G. D. Abrams, S. R. Abrams and L. V. Gusta
Abscisic aldehyde: a new synthesis, isotopic labelling, exchange reactions and oxidation	2649	R. D. Willows and B. V. Milborrow
Changes in phenolic acids from internode walls of wheat and *Phalaris* during maturation	2655	T. B. T. Lam, K. Iiyama and B. A. Stone
Elicitation of enhanced phenylpropanoid metabolism in citrus flavedo by gamma-radiation	2659	I. A. Dubery
Ecological Biochemistry		
Phytochelatins protect plant enzymes from heavy metal poisoning	2663	R. Kneer and M. H. Zenk
Dihydrodestruxin A: a natural destruxin from *Metarhizium anisopliae*	2669	A. Jegorov, V. Maťha, P. Sedmera and D. W. Roberts
Effects of wounding on glucosinolates in the cotyledons of oilseed rape and mustard	2671	R. P. Bodnaryk
Isoepitaondiol, a diterpenoid of *Stypopodium flabelliforme* and the insecticidal activity of stypotriol, epitaondiol and derivatives	2679	J. Rovirosa, M. Sepulveda, E. Quezada and A. San-Martin
Stimulation of furanocoumarin accumulation in celery and celeriac tissues by *Fusarium oxysporum* f. sp. *apii*	2683	S. Heath-Pagliuso, S. A. Matlin, N. Fang, R. H. Thompson and L. Rappaport
Possible anti-tumour promoters: bi- and tetraflavonoids from *Lophira alata*	2689	A. Murakami, S. Tanaka, H. Ohigashi, M. Hirota, R. Irie, N. Takeda, A. Tatematsu and K. Koshimizu
Biosynthesis		
Biosynthesis of indigo precursors in higher plants	2695	Zhi-Qiang Xia and M. H. Zenk
Conversion of 3-fluoropyruvate to fluoroacetate by cell-free extracts of *Dichapetalum cymosum*	2699	J. J. M. Meyer and D. O'Hagan
Studies on the biosynthesis of thiarubrine A in hairy root cultures of *Ambrosia artemisiifolia* using ^{13}C-labelled acetates	2703	M. L. Gomez-Barrios, F. J. Parodi, D. Vargas, L. Quijano, M. A. Hjortso, H. E. Flores and N. H. Fischer
The effect of some *ent*-kaurene alcohols on gibberellic acid biosynthesis in *Gibberella fujikuroi*	2709	J. R. Hanson and C. L. Willis
Enzymic 10-hydroxylation and 10-*O*-methylation of dihydrosanguinarine in dihydrochelirubine formation by *Eschscholtzia*	2713	W. De-Eknamkul, T. Tanahashi and M. H. Zenk
Cell Culture and Biotechnology		
Structure of endogenous oligogalacturonides inducing shikonin biosynthesis in *Lithospermum* cell cultures	2719	M. Tani, H. Fukui, M. Shimomura and M. Tabata
Biotransformation of limonene and related compounds by *Aspergillus cellulosae*	2725	Y. Noma, S. Yamasaki and Y. Asakawa
Metabolism of exogenous 18β-glycyrrhetinic acid in cultured cells of *Glycyrrhiza glabra*	2729	H. Hayashi, K. Yamada, H. Fukui and M. Tabata
Stimulation of anthraquinone production in rhubarb tissue culture by an ethylene-generating reagent	2735	F. Kurosaki, H. Nagase and A. Nishi

Chemotaxonomy

Fatty acid composition of twelve species of Chlorophyceae from the Senegalese coast — 2739 — M. Aknin, R. Moellet-Nzaou, E. Cisse, J. M. Kornprobst, E. M. Gaydou, A. Samb and J. Miralles

Acetylenes from *Dahlia merckii* — 2743 — K. Neuschild, L. P. Christensen and J. Lam

Melampolides from *Lecocarpus pinnatifidus* — 2747 — F. A. Macías and N. H. Fischer

Plant Chemistry

Glucosides of ethyl indole-3-lactate and uroterpenol in Riesling wine — 2755 — V. A. Marinos, M. E. Tate and P. J. Williams

Scammonins VII and VIII, two resin glycosides from *Convolvulus scammonia* — 2761 — N. Noda, H. Kogetsu, T. Kawasaki and K. Miyahara

Jatropham derivatives and steroidal saponins from the bulbs of *Lilium hansonii* — 2767 — K. Ori, Y. Mimaki, K. Mito, Y. Sashida, T. Nikaido, T. Ohmoto and A. Masuko

Angulatueoids A–D, four sesquiterpenes from the seeds of *Celastrus angulatus* — 2777 — Cheng Chunquan, Wu Dagang and Liu Jikai

Guaianolides from *Venidium fastuosum* — 2781 — A. A. Ali, N. A. El-Emary, A. A. Khalifa and A. W. Frahm

Eremophilanolides from the roots of *Ligularia veitchiana* — 2785 — Y. Zhao, Z. J. Jia, R. X. Tan and L. Yang

3β,12-Dihydroxyabieta-8,11,13-triene-1-one and other constituents from *Juniperus excelsa* leaves — 2789 — J. S. Mossa, I. Muhammad, F. S. El-Feraly and C. D. Hufford

Diterpene acids from *Mikania triangularis* — 2793 — F. G. Cruz and N. F. Roque

28-Noroleana-16,21-diene triterpenes from *Phlomis spectabilis* — 2797 — R. Kumar, S. Bhan, A. K. Kalla and K. L. Dhar

Triterpenoids from the fruit galls of *Actinidia polygama* — 2801 — Y. Sashida, K. Ogawa, N. Mori and T. Yamanouchi

Triterpenoid saponins from leaves of *Castanospermum australe* — 2805 — V. U. Ahmad, W. Ahmed and K. Usmanghani

Triterpene saponins from fruit of *Ilex crenata* — 2809 — T. Kakuno, K. Yoshikawa and S. Arihara

Sterols and sterol glucosides from two *Aegiphila* species — 2813 — S. G. Leitão, M. A. C. Kaplan, F. Delle Monache, T. Akihisa and T. Tamura

Two pregnanes from oleander leaves — 2819 — F. Abe and T. Yamauchi

Proceragenin, an antibacterial cardenolide from *Calotropis procera* — 2821 — N. Akhtar, A. Malik, S. N. Ali and S. U. Kazmi

A series of eleven dialkyl-hydroxy-*p*-benzoquinones from *Cyperus capitatus* — 2825 — A. C. Alves, M. M. Moreira, M. I. Paúl and M. A. C. Costa

Dimeric hydrolysable tannins from *Melastoma malabathricum* — 2829 — T. Yoshida, F. Nakata, K. Hosotani, A. Nitta and T. Okuda

Dimeric ellagitannins from *Alnus japonica* — 2835 — Min-Won Lee, T. Tanaka, G.-I. Nonaka and I. Nishioka

Lignanolides from *Bupleurum salicifolium* — 2841 — R. Estévez-Reyes, A. Estévez-Braun and A. G. González

Bicyclo[3.2.1]octanoid neolignans from *Licaria brasiliensis*	2847	G. M. S. P. Guilhon, L. M. Conserva, J. G. S. Maia, M. Yoshida and O. R. Gottlieb
Cytotoxic styrylpyrones of *Goniothalamus amuyon*	2851	Yang-Chang Wu, Fang-Rong Chang, Chang-Yih Duh, Shang-Kwei Wang and Tian-Shung Wu
Three 2′,4′,6′-trioxygenated flavanones in roots of *Echinosophora koreensis*	2855	M. Iinuma, M. Ohyama, T. Tanaka, M. Mizuno and Soon-Keun Hong
Flavonoids from *Ageratum corymbosum*	2859	L. Quijano, F. Gómez-Garibay, G. Garcia-Perez and T. Rios
A flavone and diterpene from *Psiadia arabica*	2863	J. S. Mossa, M. M. El-Domiaty, I. A. Al-Meshal, F. S. El-Feraly, C. D. Hufford, D. R. McPhail and A. T. McPhail
Alkaloids of *Fumaria indica*	2869	Atta-ur-Rahman, M. K. Bhatti, F. Akhtar and M. I. Choudhary
Alkaloids from roots of *Strychnos potatorum*	2873	G. Massiot, P. Thepenier, M.-J. Jacquier, L. Le Men-Olivier and C. Delaude
Carbazole alkaloids from seeds of *Murraya koenigii*	2877	J. Reisch, O. Goj, A. Wickramasinghe, H. M. T. B. Herath and G. Henkel
Short Reports		
Acetylenes from roots of *Eryngium bourgatii*	2881	J. Lam, L. P. Christensen and T. Thomasen
A dithienylacetylene ester from *Eclipta erecta*	2883	P. Singh and S. Bhargava
A monoterpenoid peroxide from *Adenosma caeruleum*	2885	G. Adam, A. Porzel, T. V. Sung and J. Schmidt
Two sesquiterpenes from *Pluchea arguta*	2888	V. U. Ahmad, T. A. Farooqui, A. Sultana, K. Fizza and R. Khatoon
Salograviolide A, a sesquiterpene from *Centaurea salonitana*	2891	W. M. Daniewski, G. Nowak, E. Routsi, U. Rychlewska, B. Szczepańska and P. Skibicki
Melampolides from *Oyedaea verbesinoides*	2894	S. Stokes, V. Castro, L. Poveda, F. Papastergiou and J. Jakupovic
Caesaljapin, a cassane diterpenoid from *Caesalpinia decapetala* var. *japonica*	2897	K. Ogawa, I. Aoki and Y. Sashida
A triterpene from *Sericostoma pauciflorum*	2899	S. A. M. Ayatollahi, Z. Ahmed, N. Afza and A. Malik
3α-Hydroxy-14α-methyl-$\Delta^{8(11)}$ sterols from *Neolitsea aciculata*	2902	K. Yano, T. Akihisa, T. Tamura and T. Matsumoto
Reassessment of the structure of an anthraquinone glycoside from *Rhamnus formosana*	2905	S. B. Kalidhar
Two naphthoquinones from *Rubia cordifolia*	2907	J. Koyama, T. Ogura, K. Tagahara, T. Konoshima and M. Kozuka
Hemisynthesis of the naturally occurring tremuloidin	2909	S. Picard, P. Bouyssou and J. Chenault

A furofuran lignan from *Sesamum alatum* 2911 A. KAMAL-ELDIN and G. YOUSIF

Clathraxanthone, a 1,2,7-trioxygenated xanthone from *Haploclathra paniculata* 2913 T. J. NAGEM, M. C. DA SILVA and J. C. DA SILVEIRA

A prenylated chalcone from the roots of *Tephrosia spinosa* 2915 V. M. SHARMA and P. S. RAO

Flavonoids and other constituents from *Pedalium murex* 2917 R. S. BHAKUNI, Y. N. SHUKLA and R. S. THAKUR

Flavonol glycosides from *Calotropis gigantea* 2919 S. SEN, N. P. SAHU and S. B. MAHATO

Pyranoflavonoids from *Artocarpus communis* 2922 CHUN-NAN LIN and WEN-LIANG SHIEH

Enantiomultijugin, a flavone from *Tephrosia viciodes* 2925 F. GÓMEZ-GARIBAY, L. QUIJANO, C. HERNÁNDEZ and T. RIOS

Demethyltorosaflavones C and D from *Cassia nomame* 2927 S. KITANAKA and M. TAKIDO

A monoterpene alkaloid from *Incarvillea sinensis* 2930 C. YU-MING, Y. WEN-MEI, C. DE-CHANG, H. NOGUCHI, Y. IITAKA and U. SANKAWA

Alkaloids from *Buxus* species 2933 ATTA-UR-RAHMAN, S. NAZ, F. NOOR-E-AIN, R. A. ALI, M. I. CHOUDHARY, B. SENER and S. TURKOZ

Alkaloids from leaves of *Kopsia larutensis* 2936 TOH-SEOK KAM, POH-SUAN TAN and CHENG-HOCK CHUAH

Book Review
Chemotaxonomie der Pflanzen, Volume 10, General Index: by R. HEGNAUER and M. HEGNAUER 2939 J. B. HARBORNE

Number 9

Review Article Number 69
Multiple functions and forms of higher plant nitrate reductase 2941 H. S. SRIVASTAVA

Growth and Metabolism
DNA topoisomerase I from mycelia of *Aspergillus oryzae*: identification of a catalytic molecule in aggregated complex 2949 T. YOSHIDA, Y. SATOH and E. ICHISHIMA

Polyamine oxidase bound to cell walls from *Zea mays* seedlings 2955 R. FEDERICO, R. ANGELINI, A. CONA and A. NIGLIO

Cell wall-bound coniferyl alcohol oxidase associated with lignification in conifers 2959 R. SAVIDGE and P. UDAGAMA-RANDENIYA

Purification and catalytic properties of chickpea lipoxygenases 2967 L. C. SANZ, A. G. PEREZ and J. M. OLIAS

Substrate specificities of glycerol acylating enzymes from developing embryos of two *Cuphea* species 2973 M. BAFOR and S. STYMNE

Specificity and some other properties of cytosolic and membranous UDPGlc: 3β-hydroxysteroid glucosyltransferases from *Solanum tuberosum* leaves 2977 J. ZIMOWSKI

Chorismate mutase isoforms from seeds and seedlings of *Papaver somniferum* 2983 M. BENESOVA and R. BODE

Structural analysis of oligomeric fructans from excised leaves of *Lolium temulentum* 2989 I. M. SIMS, C. J. POLLOCK and R. HORGAN

The transport of [3-^{3}H]oleanolic acid and its monoglycosides to isolated vacuoles of protoplasts from *Calendula officinalis* leaves 2993 W. JANISZOWSKA and A. SZAKIEL

Ecological Biochemistry

Usnic acid amide, a phytotoxin and antifungal agent from *Cercosporidium henningsii* — 2999 — M. A. Conover, R. Mierzwa, A. King, D. Loebenberg, W. R. Bishop, M. Puar, M. Patel, S. J. Coval, J. Hershenhorn and G. A. Strobel

An insect antifeedant limonoid from seed of *Khaya ivorensis* — 3003 — C. Vanucci, C. Lange, G. Lhommet, B. Dupont, D. Davoust, B. Vauchot, J. L. Clement and F. Brunck

Antifungal stress compounds from *Veratrum grandiflorum* leaves treated with cupric chloride — 3005 — F. Hanawa, S. Tahara and J. Mizutani

Correlations between anthocyanin type, pollinator and flower colour in the Labiatae — 3009 — N. Saito and J. B. Harborne

Inhibition of infectivity of potato virus X by flavonoids — 3017 — C. J. French and G. H. N. Towers

Biosynthesis

Ether lipid production in relation to growth in *Botryococcus braunii* — 3021 — E. Villarreal-Rosales, P. Metzger and E. Casadevall

Biosynthesis of sitosterol from [methyl-$^2H_3$]methionine in tissue cultures of *Physalis peruviana* — 3029 — S. Seo, A. Uomori, K. Iwatani, Y. Nakagawa, K. Takeda and U. Sankawa

Cell Culture and Biotechnology

Cell wall microcapsules with different porosity from suspension cultured *Chenopodium album* — 3033 — R. Ehwald, H. Woehlecke and C. Titel

Composition of cell wall microcapsules manufactured from *Chenopodium album* cell walls — 3039 — G. Dongowski, R. Ehwald, K. Luck and G. Stoof

Release of monogalactosyl diacylglycerols from a cyanobacterium, *Phormidium tenue*, into its growth medium — 3043 — N. Murakami, T. Morimoto, T. Ueda, S. Nagai, J. Sakakibara and N. Yamada

Formation of grindelane dimers by microbial transformation — 3045 — J. J. Hoffmann, L. K. Hutter, S. J. Dentali, K. H. Schram and N. E. Mackenzie

Four $\Delta^{5,7}$-sterols from terbinafine treated celery cell suspension cultures — 3051 — P. J. Yates, P. A. Haughan, J. R. Lenton and L. J. Goad

Influence of alkaloid precursors on the alkaloid content of *Nicotiana alata* root cultures — 3059 — J. B. Friesen, P. C. Burkhouse, D. D. Biesboer and E. Leete

Biotransformation of tabersonine in cell suspension cultures of *Catharanthus roseus* — 3065 — T. Furuya, K. Sakamoto, K. Iida, Y. Asada, T. Yoshikawa, S.-I. Sakai and N. Aimi

Alkaloid metabolism in callus and regenerating shoot cultures of a *Duboisia* hybrid — 3069 — W. Gritsanapan and W. J. Griffin

Chemotaxonomy

Differentiation within the Australian *Tasmannia* by essential oil comparison — 3073 — I. A. Southwell and J. J. Brophy

Coumarins and their taxonomic value in the genus *Phebalium* — 3083 — Md. A. Quader, J. A. El-Turbi, J. A. Armstrong, A. I. Gray and P. G. Waterman

Hydrolysable tannins as chemotaxonomic markers in the Rosaceae — 3091 — T. Okuda, T. Yoshida, T. Hatano, M. Iwasaki, M. Kubo, T. Orime, M. Yoshizaki and N. Naruhashi

Flavonoid *p*-coumaroylglucosides and 8-hydroxyflavone allosylglucosides in some Labiatae — 3097 — F. A. Tomás-Barberán, M. I. Gil, F. Ferreres and F. Tomás-Lorente

Plant Chemistry

Cell wall composition of virus-sensitive symbiotic *Chlorella* species — 3103 — E. Kapaun, E. Loos and W. Reisser

A 4-hydroxy-β-ionone disaccharide glycoside from raspberry fruits	3105	A. Pabst, D. Barron, E. Sémon and P. Schreier
Crispane and crispanone, two compounds from *Petroselinum crispum* with a new carbon skeleton	3109	M. H. Spraul, S. Nitz, F. Drawert, H. Duddeck and M. Hiegemann
Analysis of volatile components derived from the carob bean *Ceratonia siliqua*	3113	G. MacLeod and M. Forcen
Enantiomeric composition of monoterpene hydrocarbons from the liverwort *Conocephalum conicum*	3121	I. Valterová, C. R. Unelius, J. Vrkoč and T. Norin
Phenylpropanoid and iridoid glycosides from *Pedicularis longiflora*	3125	Zhong-Jian Jia and Zi-Min Liu
Premnaodorosides A, B and C, iridoid glucoside diesters of an acyclic monoterpenediol from leaves of *Premna odorata*	3129	H. Otsuka, N. Kashima, T. Hayashi, N. Kubo, K. Yamasaki and W. G. Padolina
Sesquiterpenes and acetylenes from *Artemisia feddei*	3135	R. X. Tan, Z. J. Jia, Y. Zhao and S. L. Feng
Sesquiterpene lactones from two *Tithonia* species	3139	A. Schuster, S. Stokes, F. Papastergiou, V. Castro, L. Poveda and J. Jakupovic
Sesquiterpene lactones from *Koanophyllon albicaule*	3143	A. Schuster, V. Castro, L. Poveda, F. Papastergiou and J. Jakupovic
neo-Clerodane diterpenoids from *Stachys rosea*	3147	C. Fazio, S. Passannanti, M. P. Paternostro and F. Piozzi
The absolute stereochemistry of ajugavensins, *neo*-clerodane diterpenes from *Ajuga genevensis*: a revision of the C-1 configuration of ajugavensins A and B	3151	P. Y. Malakov, G. Y. Papanov, A. Perales, M. C. de la Torre and B. Rodríguez
A furanoid diterpene from *Tinospora malabarica*	3155	Atta-ur-Rahman, S. S. Ali, S. Ahmad and M. I. Choudhary
Abietanoid acid from *Lepechinia caulescens*	3159	G. Delgado, E. Sánchez, J. Hernández, M. I. Chávez, L. Alvarez and E. Martínez
Characterization of carotenoid acyl esters produced in drought-stressed barley seedlings	3163	P. Barry, R. P. Evershed, A. Young, M. C. Prescott and G. Britton
Triterpenoidal saponins from *Madhuca butyracea*	3169	S. K. Nigam, Xing-Cong Li, De-Zu Wang, G. Misra and Chong-Ren Yang
Steroidal saponins from *Smilax !ebrunii*	3173	Zhong-Jian Jia and Yong Ju
Saponins from *Steganotaenia araliacea*	3177	C. Lavaud, G. Massiot, L. Le Men-Olivier, A. Viari, P. Vigny and C. Delaude
Steroid glycosides from the roots of *Nerium odorum*	3183	R. Hanada, F. Abe and T. Yamauchi
Cardiac glycosides from the leaves of *Thevetia neriifolia*	3189	F. Abe, T. Yamauchi and A. S. C. Wan
Cardenolides from *Adonis aestivalis*	3195	B. Kopp, L. Krenn, E. Kubelka and W. Kubelka
A phenylstyrene from *Hintonia latiflora*	3199	R. Mata, M. d. R. Camacho, S. Mendoza and M. d. C. Cruz
Biphenyls and a xanthone from *Monnina sylvatica*	3203	A. Bashir, M. Hamburger, M. P. Gupta, P. Solis and K. Hostettmann

Cinnamic acid derivatives in cell walls of bamboo and bamboo grass	3207	S. Tachibana, K. Ohkubo and G. H. N. Towers
Coumarins from *Heptaptera anisoptera*	3211	G. Appendino, H. Ç. Özen, S. Tagliapietra and M. Cisero
Two stilbenoids from *Cassia garrettiana*	3215	K. Baba, T. Kido, K. Maeda, M. Taniguchi and M. Kozawa
Three phenyldihydronaphthalene lignanamides from fruits of *Cannabis sativa*	3219	I. Sakakibara, Y. Ikeya, K. Hayashi and H. Mitsuhashi
Rotundatin, a new 9,10-dihydrophenanthrene derivative from *Dendrobium rotundatum*	3225	P. L. Majumder and S. Pal (Née Ray)
Two prenylated retrochalcones from *Glycyrrhiza inflata*	3229	K. Kajiyama, S. Demizu, Y. Hiraga, K. Kinoshita, K. Koyama, K. Takahashi, Y. Tamura, K. Okada and T. Kinoshita
Hypnogenols and other dihydroflavonols from the moss *Hypnum cupressiforme*	3233	H. Sievers, G. Burkhardt, H. Becker and H. D. Zinsmeister
Two C_{20} diterpenoid alkaloids from *Delphinium venulosum*	3239	A. Ulubelen, A. H. Mericli, F. Mericli, R. Ilarslan and S. A. Matlin
Norditerpenoid alkaloids of *Delphinium leroyi*	3243	Y. Bai and M. Benn
Norditerpenoid alkaloids from seeds of *Delphinium zalil*	3247	Fang Sun and M. Benn
(+)-12α-Hydroxylupanine, a lupin alkaloid from *Lygos raetam*	3251	O. B. Abdel-Halim, T. Sekine, K. Saito, A. F. Halim, H. Abdel-Fattah and I. Murakoshi
Pyrrolizidine alkaloids of *Liatris punctata* and its root parasite, *Castilleja integra*	3255	E. W. Mead, M. Looker, D. R. Gardner and F. R. Stermitz

Short Reports

Lipid composition of freshwater macrophytes from the Volga river estuary	3259	V. M. Dembitsky, O. A. Rozentsvet, V. S. Zhuikova, R. F. Vasilenko and A. G. Kashin
Structure of chaparramarin, a quassinoid from *Castela tortuosa*	3262	I. Kubo, Y. Murai and S. K. Chaudhuri
Perilloside A, a monoterpene glucoside from *Perilla frutescens*	3265	T. Fujita and M. Nakayama
An iridoid from *Siphonostegia chinensis*	3268	Huiyan Zhang, Wenmei Yan, Dechang Cheng and Qitai Zheng
7-Hydroxyeudesmanolides from *Sphaeranthus indicus*	3270	S. R. Rojatkar and B. A. Nagasampagi
Diterpenes from *in vitro*-grown *Salvia canariensis*	3272	J. G. Luis, A. G. González, L. S. Andrés and S. Mederos
Diterpenoids from *Baccharis neaei*	3274	F. Faini, C. Labbe and M. I. Polanco
epi-Populifolic acid from *Aristolochia cymbifera*	3277	G. G Leitão, M. A. C. Kaplan and C. Galeffi
Structure–activity relationships of synthetic diosgenyl diglycosides	3280	M. Takechi, S. Shimada and Y. Tanaka
Long chain alkyl esters of 4′-hydroxycinnamic acids from leaves of *Rosa rugosa*	3282	Y. Hashidoko, S. Tahara and J. Mizutani

Purpurasol, a highly oxygenated coumarin from *Pterocaulon purpurascens* 3284 S. L. Debenedetti, E. L. Nadinic, M. A. Gomez, J. D. Coussio, N. De Kimpe and M. Boeykens

11-(*E*)-*p*-Coumaric acid ester of bergenin from *Peltophorum africanum* 3286 P. P. Mebe and P. Makuhunga

Stilbenes from *Picea abies* bark 3288 E. Mannila and A. Talvitie

Luteolin 6,8-di-*C*-rhamnoside from *Asplenium viviparum* 3290 F. Imperato

Kaempferol 3-(2″-*p*-coumaroylrhamnoside)-7-rhamnoside from *Cheilanthes fragrans* 3291 F. Imperato

An acylated isorhamnetin glucoside from *Zygophyllum simplex* 3293 H. A. Hassanean and E. K. Desoky

Ruwenine and ruzorine: pyrrolizidine alkaloids of *Senecio ruwenzoriensis* 3295 M. Benn and O. Were

(+)-Ancistrocline, a naphthylisoquinoline alkaloid from *Ancistrocladus tectorius* 3297 G. Bringmann and L. Kinzinger

Book Reviews

The Organic Constituents of Higher Plants, Their Chemistry and Interrelationships: by Trevor Robinson 3301 G. P. Moss

Plant Tissue Culture Manual: edited by K. Lindsey 3301 R. J. Robins

Number 10

The Pergamon Phytochemistry Medal and Prize for 1992 ix

Obituary

Edward Leete 1928–1992 3303

Review Article Number 70

NMR spectroscopy in the structural elucidation of oligosaccharides and glycosides 3307 P. K. Agrawal

Growth and Metabolism

Photoaffinity labelling of MAC 182, a gibberellin-specific monoclonal antibody 3331 R. P. Walker, M. H. Beale and R. Hooley

Large-scale purification and preliminary structural studies of MAC 182, a gibberellin-binding monoclonal antibody 3337 J. E. Nester-Hudson, M. H. Beale and J. MacMillan

Conversion of D-glucosone to oxalic acid and L-(+)-tartaric acid in detached leaves of *Pelargonium* 3341 K. Saito and F. A. Loewus

Tolerance of microalgae to high CO_2 and high temperature 3345 N. Hanagata, T. Takeuchi, Y. Fukuju, D. J. Barnes and I. Karube

Age dependent α-tocopherol concentrations in leaves of soybean and pinto beans 3349 W. A. Tramontano, D. Ganci, M. Pennino and E. S. Dierenfeld

Inhibition of polyamine biosynthesis and seed germination in *Picea abies* 3353 H. Huang and V. R. Villanueva

Polyamine levels in crown gall tumour and teratoma 3357 V. Srivastava and S. Guha-Mukherjee

Release of reducing sugars from *Citrus* seedlings, leaves and fruits. Effect of treatment with pectinase and cellulase from *Alternaria* and *Trichoderma* 3359 N. Fanta, A. Quaas, P. Zulueta and L. M. Pérez

Isolation and characterization of an endo-β-mannanase of *Lilium testaceum* bulbs	3365	T. Wozniewski, W. Blaschek and G. Franz
Plant peroxidase has a thiol oxidase function	3371	H. Pichorner, A. Couperus, S. A. A. Korori and R. Ebermann
Preparation and assay of chalcone synthase from walnut tree tissue	3377	A.-C. Claudot and A. Drouet
Physico-chemical properties of chickpea lipoxygenases	3381	L. C. Sanz, A. G. Perez, J. J. Rios and J. M. Olias
Changes in cell wall-associated peroxidases during the lignification of flax fibres	3385	G. J. McDougall
Partial purification of farnesyl pyrophosphate:drimenol cyclase and geranylgeranyl pyrophosphate:sclareol cyclase, using cell culture as a source of material	3391	D. V. Banthorpe, J. T. Brown and G. S. Morris
Lipid composition of the brown algae *Fucus vesiculosus* and *Ascophyllum nodosum*	3397	A. L. Jones and J. L. Harwood
Separation of lipid classes from *Phaeodactylum tricornutum* using silica cartridges	3405	W. Yongmanitchai and O. P. Ward
Alkyl ferulates in wound healing potato tubers	3409	M. A. Bernards and N. G. Lewis
Flower discolouration in *Magnolia*	3413	M. Satô, A. Hiraoka and M. Watanabe
Content of zygacine in *Zygadenus venenosus* at different stages of growth	3417	W. Majak, R. E. McDiarmid, W. Cristofoli, Fang Sun and M. Benn
Ecological Biochemistry		
Frost-resistance and lipid composition of cold-hardened needles of Chilean conifers	3419	M. Latsague, H. Acevedo, J. Fernández, M. Romero, R. Cristi and M. Alberdi
Floral volatiles of *Vicia faba*	3427	C. J. Sutton, S. J. Keegans, W. D. J. Kirk and E. D. Morgan
Quantification of the neurotoxin 2-amino-3-(methylamino)-propanoic acid (BMAA) in Cycadales	3429	T. S. Charlton, A. M. Marini, S. P. Markey, K. Norstog and M. W. Duncan
Fungitoxic non-glycosidic iridoids from *Alibertia macrophylla*	3433	M. C. M. Young, M. R. Braga, S. M. C. Dietrich, H. E. Gottlieb, L. M. V. Trevisan and V. da S. Bolzani
Biologically active diterpenes from *Aspilia mossambicensis*, a chimpanzee medicinal plant	3437	J. E. Page, F. Balza, T. Nishida and G. H. N. Towers
Biosynthesis		
Characterization of elicitor-induction of sesquiterpene cyclase activity in potato tuber tissue	3441	M. N. Zook, J. Chappell and J. A. Kúc
The biosynthesis of nectriapyrone and vermopyrone	3447	A. G. Avent, J. R. Hanson and A. Truneh
Cell Culture and Biotechnology		
Role of malic acid in solubilizing excess berberine accumulating in vacuoles of *Coptis japonica*	3451	H. Sato, G. Taguchi, H. Fukui and M. Tabata
Chemotaxonomy		
Rice seed globulin: a protein similar to wheat seed glutenin	3455	S. Komatsu and H. Hirano
Fatty acyl composition of monogalactosyldiacyl glycerols in Bryophyta	3461	P. Sewón

An unusual glucomannan from *Tornabenia intricata* 3467 A. Z. A. Teixeira, M. Iacomini and P. A. J. Gorin

Sesquiterpene lactones and monoterpene glucopyranosides of *Tetraneuris linearifolia* var. *arenicola* 3471 J. G. Díaz, B. Barba, W. Herz and M. W. Bierner

Jatrophane and lathyrane diterpenoid esters from North American leafy spurge seed 3479 N. D. Onwukaeme and M. G. Rowan

The distribution of caffeic acid conjugates in the Equisetaceae and some ferns 3483 M. Veit, C. Weidner, D. Strack, V. Wray, L. Witte and F.-C. Czygan

Quinolizidine alkaloids in *Petteria ramentacea* 3487 G. Veen, S. Günther, R. Greinwald, P. Bachmann, L. Witte, D. Kustrak and F.-C. Czygan

Plant Chemistry

Polyprenols and acylphloroglucinols from *Esenbeckia nesiotica* 3491 M. Y. Rios and G. Delgado

Volatile constituents of *Coccolobo uvifera* 3495 P. E. Shaw, M. G. Moshonas and E. A. Baldwin

Acetylenes from *Panax quinquefolium* 3499 Y. Fujimoto, H. Wang, M. Kirisawa, M. Satoh and N. Takeuchi

Surface waxes from olive fruits 3503 G. Bianchi, C. Murelli and G. Vlahov

Polyoxygenated terpenes and cyanogenic glucosides from *Centaurea aspera* var. *subinermis* 3507 L. Cardona, I. Fernández, J. R. Pedro and R. Vidal

Sesquiterpenoids and iridoid glycosides from *Valeriana fauriei* 3511 K. Nishiya, T. Kimura, K. Takeya and H. Itokawa

Sesquiterpenoids from the roots of *Homalomena aromatica* 3515 T. V. Sung, B. Steffan, W. Steglich, G. Klebe and G. Adam

A cadinanolide and other sesquiterpene lactones from *Mikania haenkeana* 3521 M. del R. Cuenca, S. Borkosky, C. A. N. Catalán, J. G. Díaz and W. Herz

Sesquiterpene lactones and lignans from *Centaurea* species 3527 J. A. Marco, J. F. Sanz, F. Sancenon, A. Susanna, A. Rustaiyan and M. Saberi

neo- and seco-*neo*-clerodane diterpenoids from *Teucrium gracile* and *T. fruticans* 3531 M. Bruno, R. Alcázar, M. C. de la Torre, F. Piozzi, B. Rodríguez, G. Savona, A. Perales and N. A. Arnold

Saturated hopane and gammacerane triterpene-diols from the stem bark of *Abies veitchii* 3535 R. Tanaka and S. Matsunaga

Cardenolides and triterpenoids of the leaves of *Thevetia neriifolia* 3541 S. Siddiqui, B. S. Siddiqui, Q. Adil and S. Begum

Reinvestigation of cardenolide glycosides from seeds of *Anodendron affine* 3547 R. Hanada, F. Abe, Y. Mōri and T. Yamauchi

Triterpenoid saponins from *Ilex crenata* fruit 3553 T. Kakuno, K. Yoshikawa and S. Arihara

Steroid saponins from *Polygonatum kingianum* 3559 Xing-Cong Li, Chong-Ren Yang, M. Ichikawa, H. Matsuura, R. Kasai and K. Yamasaki

Balanitoside, a furostanol glycoside, and 6-methyl diosgenin from *Balanites aegyptiaca*	3565	M. Hosny, T. Khalifa, İ. Çalış, A. D. Wright and O. Sticher
Saponins from stem bark of *Petersianthus macrocarpus*	3571	G. Massiot, Xiang-Fei Chen, C. Lavaud, L. Le Men-Olivier, C. Delaude, A. Viari, P. Vigny and J. Duval
Quinone pigments from *Araliorhamnus vaginata*	3577	W. Mammo, E. Dagne and W. Steglich
Tetra- and pentacyclic 6-C-monoterpenyl-5,7-dioxycoumarins from *Eriostemon brucei* and *E. brucei* subspecies *cinereus*	3583	M. A. Rashid, J. A. Armstrong, A. I. Gray and P. G. Waterman
Dimeric xanthones from *Garcinia livingstonei*	3589	I. Sordat-Diserens, M. Hamburger, C. Rogers and K. Hostettmann
Lophiroflavans B and C, tetraflavonoids of *Lophira alata*	3595	A. Tih, M.-T. Martin, R. Ghogomu Tih, I. Vuidepot, B.-L. Sondengam and B. Bodo
The alkaloid peduncularine: corrected spectroscopic data and conformational analysis	3601	C. Dragar and I. R. C. Bick
Cerveratrum alkaloids from bulbs of *Fritillaria persica*	3605	K. Ori, Y. Mimaki, Y. Sashida, T. Nikaido and T. Ohmoto
Piperidine alkaloids from *Piper retrofractum* fruits	3609	Jong-Woong Ahn, Mi-Ja Ahn, Ok-Pyo Zee, Eun-Joo Kim, Sueg-Geun Lee, Hyung Jin Kim and I. Kubo
Pyrrolizidine alkaloids from *Neatostema apulum*	3613	E. Roeder and T. Bourauel
Quinolone alkaloids from *Zanthoxylum acutifolium*	3617	M. S. P. Arruda, J. B. Fernandes, M. F. das G. F. da Silva, P. C. Vieira and J. R. Pirani
Short Reports		
Polyacetylenic carbonyl compounds in carrots	3621	E. D. Lund
Phenylpropanoid glycosides from *Marrubium alysson*	3624	İ. Çalış, M. Hosny, T. Khalifa and P. Rüedi
A cyperane and trixanes from *Jungia polita*	3627	M. I. Ybarra, C. A. N. Catalán, J. G. Díaz and W. Herz
Sesquiterpenes, flavonoids and lignans from *Onopordon acaulon*	3630	L. Cardona, R. A. Alemañ, B. García and J. R. Pedro
Sesquiterpene polyol esters from *Celastrus angulatus*	3633	Y. Q. Tu, Y. J. Hu, W. J. Wu, N. Y. Chen and X. F. Pan
A eudesmanolide from *Picris spinifera*	3635	A. Kijjoa, L. M. M. Vieira, J. M. Cardoso and W. Herz
Rearranged abietane diterpenes from *Salvia candidissima*	3637	A. Ulubelen, G. Topcu and N. Tan
neo-Clerodane diterpenoids from *Scutellaria columnae*	3639	M. C. de la Torre, M. Bruno, F. Piozzi, B. Rodríguez, G. Savona and O. Servettaz
Oleanane and ursane glucosides from *Rubus* species	3642	Xiao-Hong Zhou, R. Kasai, K. Ohtani, O. Tanaka, Rui-Lin Nie, Chong-Ren Yang, Jun Zhou and K. Yamasaki
Antioxidative curcuminoids from rhizomes of *Curcuma xanthorrhiza*	3645	T. Masuda, J. Isobe, A. Jitoe and N. Nakatani
Withanolide C, a chlorinated withanolide from *Withania somnifera*	3648	R. Bessalle and D. Lavie
6-Hydroxyplumbagin, a naphthoquinone from *Plumbago indica*	3652	B. Dinda and G. Chel

Phenolic compounds from *Viburnum dilatatum*	3654	K. Machida and M. Kikuchi
Caffeoyl derivatives of a sugar lactone and its hydroxy acid from the leaves of *Bidens pilosa*	3657	K. Ogawa and Y. Sashida
Lignans from leaves of *Juniperus chinensis*	3659	Jim-Min Fang, Ching-Kuo Lee and Yu-Shia Cheng
Flavonoids of *Tephrosia polyphylla*	3662	E. Dagne, W. Mammo and O. Sterner
Two flavanones from the root bark of *Lespedeza formosa*	3664	Jingrong Li, Hongmei Yuan and Mingshi Wang
Phenolic lignans from flower buds of *Magnolia fargesii*	3666	M. Miyazawa, H. Kasahara and H. Kameoka
Two pyrrole acids from *Berberis koreana*	3669	D. Košťálová, V. Hrochová, V. Suchý, M. Buděšínský and K. Ubik
Pyrrolizidine alkaloids from *Senecio kaschkarovii*	3671	Dong-Liang Cheng, Jin-Kui Niu and E. Roeder

Number 11

Announcements	ix	
Growth and Metabolism		
An auxin-inhibiting substance from light-grown maize shoots	3673	K. Hasegawa, S. Togo, M. Urashima, J. Mizutani, S. Kosemura and S. Yamamura
Trypsin inhibitory activity in some rapeseed genotypes	3677	M. Visentin, R. Iori, L. Valdicelli and S. Palmieri
Constitutive isoflavones as modulators of indole-3-acetic acid oxidase activity of acidic cell wall isoperoxidases from lupin hypocotyls	3681	M. A. Ferrer, M. A. Pedreño, R. Muñoz and A. Ros Barceló
Differently-induced extracellular phenol oxidases from *Pleurotus ostreatus*	3685	A. M. V. Garzillo, S. Di Paolo, G. Burla and V. Buonocore
Purification and characterization of two isoapyrases from *Solanum tuberosum* var. Ultimus	3691	A. M. Kettlun, R. Urra, M. Leyton, M. A. Valenzuela, M. Mancilla and A. Traverso-Cori
β-Amylases in germinating maize grains: purification, partial characterization and antigenic relationships	3697	C. Doyen and C. Laurière
High molecular weight acid phosphatase from barley coleoptiles	3703	S. Pasqualini, F. Panara, P. Bracardi and M. Antonielli
An X-prolyl dipeptidyl-aminopeptidase from *Aspergillus oryzae*	3707	H. Tachi, H. Ito and E. Ichishima
Inhibition of wheat embryo calcium-dependent protein kinase and other kinases by mangostin and γ-mangostin	3711	W. Jinsart, B. Ternai, D. Buddhasukh and G. M. Polya
An endopeptidase in dormant lupin seeds	3715	A. Scarafoni, D. Giani and P. Cerletti
Three aspartate kinase isoenzymes from maize	3725	R. A. Azevedo, R. D. Blackwell, R. J. Smith and P. J. Lea
Aspartate kinase regulation in maize: evidence for co-purification of threonine-sensitive aspartate kinase and homoserine dehydrogenase	3731	R. A. Azevedo, R. J. Smith and P. J. Lea
Aspartate kinase regulation in maize: regulation by calcium and calmodulin	3735	R. A. Azevedo, R. J. Smith and P. J. Lea

Effect of chilling injury on physicochemical properties of persimmon cell walls	3739	T. M. Grant, E. A. Macrae and R. J. Redgwell
Lipid and sterol changes in *Phaseolus vulgaris* caused by lead ions	3745	K. Stefanov, I. Popova, B. Nikolova-Damyanova, G. Kimenov and S. Popov
Microbial oxidation of tricyclic sesquiterpenoids containing a dimethylcyclopropane ring	3749	W.-R. Abraham, K. Kieslich, B. Stumpf and L. Ernst
Ecological Biochemistry		
Two sphingoid derivatives from stromata of *Epichloe typhina* on *Phleum pratense*	3757	H. Koshino, T. Yoshihara, A. Ichihara, A. Tajimi and T. Shimanuki
Phytoalexins, benzoxazinones, *N*-aroylanthranilates and *N*-aroylanilines, from *Fusarium*-infected carnation stems	3761	G. J. Niemann, J. Liem, A. van der Kerk-van Hoof and W. M. A. Niessen
Polyacetylenes from *Chrysoma pauciflosculosa*: effects on Florida sandhill species	3769	M. A. Menelaou, M. Foroozesh, G. B. Williamson, F. R. Fronczek, H. D. Fischer and N. H. Fischer
Occurrence of epijuvabione-type sesquiterpenoids in *Abies sachalinensis*	3773	A. Numata, K. Kawai, C. Takahashi and T. Miyamoto
Antimalarial compounds from *Hoslundia opposita*	3781	H. Achenbach, R. Waibel, M. H. H. Nkunya and H. Weenen
Ecdysteroids from *Ajuga iva*	3785	M. Wessner, B. Champion, J.-P. Girault, N. Kaouadji, B. Saidi and R. Lafont
Structure–activity relationships of synthetic methyl oleanolate glycosides	3789	M. Takechi and Y. Tanaka
Phenolic constituents of California buckeye fruit	3793	I. Kubo and B.-P. Ying
Condensed tannin levels and resistance of groundnuts (*Arachis hypogaea*) against *Aphis craccivora*	3795	R. J. Grayer, F. M. Kimmins, D. E. Padgham, J. B. Harborne and D. V. Ranga Rao
Structure–fungicidal properties of some 3- and 4-hydroxylated stilbenes and bibenzyl analogues	3801	T. P. Schultz, W. D. Boldin, T. H. Fisher, D. D. Nicholas, K. D. McMurtrey and K. Pobanz
Sakuranetin, a flavanone phytoalexin from ultraviolet-irradiated rice leaves	3807	O. Kodama, J. Miyakawa, T. Akatsuka and S. Kiyosawa
Anthocyanin anti-copigment effect	3811	O. Dangles, M. C. Wigand and R. Brouillard
Differential toxicity of enantiomers of maackiain and pisatin to phytopathogenic fungi	3813	L. M. Delserone, D. E. Matthews and H. D. VanEtten
Feeding deterrency and growth retarding activity of the naphthylisoquinoline alkaloid dioncophylline A against *Spodoptera littoralis*	3821	G. Bringmann, S. Gramatzki, C. Grimm and P. Proksch
Biosynthesis		
Effects of benzyladenine on [U-^{14}C]acetate incorporation into lipids of *Lemna minor*	3827	Y. Hurtubise, L. Proteau and G. Grenier
Cyclopentane fatty acids from *Gibberella fujikuroi*	3835	O. Miersch, B. Brückner, J. Schmidt and G. Sembdner
Biosynthesis of iridoid glucosides in *Hebenstretia dentata*	3839	S. Damtoft, S. R. Jensen, B. J. Nielsen and J. Thorsen
Biotransformation of two *ent*-15β-hydroxy-kaur-16-ene derivatives by *Gibberella fujikuroi*	3845	B. M. Fraga, M. G. Hernández and P. González

Biotransformation of some aphidicolane derivatives by *Cephalosporium aphidicola* 3851 J. R. Hanson, A. G. Jarvis and A. H. Ratcliffe

Effect of gypsogenin 3,O-glucuronide pretreatment of *Gypsophila paniculata* and *Saponaria officinalis* cell suspension cultures on the activities of microsomal 2,3-oxidosqualene cycloartenol and amyrin cyclases 3855 M. Henry, A. Rahier and M. Taton

24β-Ethylsterol biosynthesis: incorporation of L-[Me-$^2H_3$]methionine in tissue cultures of *Trichosanthes kirilowii* 3861 A. Uomori, S. Seo, K. Iwatani, Y. Nakagawa, K. Takeda and U. Sankawa

Evidence for sterol side-chain dealkylation in *Chlamydomonas reinhardtii* 3865 J. L. Giner and C. Djerassi

On the stereoselective synthesis of (+)-pinoresinol in *Forsythia suspensa* from its achiral precursor, coniferyl alcohol 3869 L. B. Davin, D. L. Bedgar, T. Katayama and N. G. Lewis

An extraordinary accumulation of (−)-pinoresinol in cell-free extracts of *Forsythia intermedia*: evidence for enantiospecific reduction of (+)-pinoresinol 3875 T. Katayama, L. B. Davin and N. G. Lewis

Biosynthesis of the benzoyl moiety of cocaine from cinnamic acid via (*R*)-(+)-3-hydroxy-3-phenylpropanoic acid 3883 J. A. Bjorklund and E. Leete

Cell Culture and Biotechnology

Essential role of polyamines in growth of cultured carrot cells 3889 F. Kurosaki, M. Matsushita and A. Nishi

Formation of bryonolic acid in cucurbitaceous plants and their cell cultures 3893 H. J. Cho, S. Tanaka, H. Fukui and M. Tabata

Chemotaxonomy

Methylated, sulphated xylogalactans from the red seaweed *Corallina officinalis* 3897 M. R. Cases, C. A. Stortz and A. S. Cerezo

Fatty acid variation among different isolates of a single strain of *Isochrysis galbana* 3901 L. Alonso, E. Molina Grima, J. A. Sánchez Pérez, J. L. Garcia Sánchez and F. García Camacho

Limonoids in seeds of *Citrus hanaju* 3905 H. Ohta, M. Berhow, R. D. Bennett and S. Hasegawa

Triterpenoids from plants of the Sanguisorbeae 3909 G. Reher and M. Buděšínský

Triterpene chemotypes of some Polish populations of *Tanacetum vulgare* 3915 B. Wiłkomirski and E. Kucharska

Alkaloids of some European and Macaronesian Sedoideae and Sempervivoideae (Crassulaceae) 3917 J. F. Stevens, H. 't Hart, H. Hendriks and T. M. Malingré

Plant Chemistry

Viscumitol, a dimethyl-ether of *muco*-inositol from *Viscum album* 3925 A. Richter

Exocarpic acid and other compounds from tubers and inflorescences of *Sarcophyte sanguinea* 3929 L. A. C. Naidoo, S. E. Drewes, J. Van Staden and A. Hutchings

3-Deoxy-3-*epi*-lactaroscrobiculide B, a sesquiterpene from *Lactarius vellereus* 3933 W. M. Daniewski, M. Gumułka, K. Ptaszyńska, P. Skibicki, U. Jacobsson and T. Norin

Furanoeremophilanes and other constituents from *Senecio canescens* 3937 S. Abdo, M. de Bernardi, G. Marinoni, G. Mellerio, S. Samaniego, G. Vidari and P. Vita Finzi

Sesquiterpene esters from *Tripterygium wilfordii* 3943 Y. Takaishi, F. Aihara, S. Tamai, K. Nakano and T. Tomimatsu

Abietane diterpenoids from *Salvia pomifera* 3949 A. Ulubelen and G. Topcu

Abietane and 20-nor-abietane diterpenoids from the root of *Meriandra benghalensis*	3953	M. C. DE LA TORRE, M. BRUNO, B. RODRÍGUEZ and G. SAVONA
neo-Clerodane diterpenoids from three species of *Teucrium*	3957	R. ALCÁZAR, M. C. DE LA TORRE, B. RODRÍGUEZ, M. BRUNO, F. PIOZZI, G. SAVONA and N. A. ARNOLD
Two quassinoid glucosides from *Castela tortuosa*	3961	S. K. CHAUDHURI and I. KUBO
Two oleanane triterpenes from *Anagallis arvensis*	3965	L. DE NAPOLI, G. PICCIALLI, V. PICCIALLI, C. SANTACROCE and R. CAROLLA
Acylated cholestane glycosides from the bulbs of *Ornithogalum saundersiae*	3969	S. KUBO, Y. MIMAKI, M. TERAO, Y. SASHIDA, T. NIKAIDO and T. OHMOTO
Prenylated C_6–C_3 compounds from *Illicium tashiroi*	3975	Y. FUKUYAMA, N. SHIDA, T. SAKURAI and M. KODAMA
Bibenzyl glycosides from the liverwort *Ricciocarpos natans*	3981	S. KUNZ and H. BECKER
Bisphenanthrene ethers from *Bletilla striata*	3985	M. YAMAKI, L. BAI, T. KATO, K. INOUE, S. TAKAGI, Y. YAMAGATA and K. TOMITA
6-Prenyloxy-7-methoxycoumarin, a coumarin-hemiterpene ether from *Carduus tenuiflorus*	3989	L. CARDONA, B. GARCÍA, J. R. PEDRO and J. PÉREZ
Biphenylneolignans from wood of *Eurycoma longifolia*	3993	H. MORITA, E. KISHI, K. TAKEYA and H. ITOKAWA
Xanthones from *Polygala tenuifolia*	3997	T. FUJITA, D.-Y. LIU, S. UEDA and Y. TAKEDA
6-Hydroxykaempferol and its glycosides from *Carthamus tinctorius* petals	4001	M. HATTORI, XIN-LI HUANG, QING-MING CHE, Y. KAWATA, Y. TEZUKA, T. KIKUCHI and T. NAMBA
8-Benzylberbine alkaloids from *Aristolochia gigantea*	4005	L. M. X. LOPES
Ancistrobrevine B, the first naphthylisoquinoline alkaloid with a 5,8′-coupling site, and related compounds from *Ancistrocladus abbreviatus*	4011	G. BRINGMANN, R. ZAGST, H. REUSCHER and L. AKÉ ASSI
(±)-Dioncophyllacine A, a naphthylisoquinoline alkaloid with a 4-methoxy substituent from the leaves of *Triphyophyllum peltatum*	4015	G. BRINGMANN, T. ORTMANN, R. ZAGST, B. SCHÖNER, L. AKÉ ASSI and C. BURSCHKA
Dioncophylline C from the roots of *Triphyophyllum peltatum*, the first 5,1′-coupled Dioncophyllaceae alkaloid	4019	G. BRINGMANN, M. RÜBENACKER, R. WEIRICH and L. AKÉ ASSI
Short Reports		
4,5-*seco*-African-4,5-dione from *Lippia integrifolia*	4025	C. A. N. CATALAN, I. J. S. DE FENIK, P. J. DE ARRIAZU and W. C. M. C. KOKKE
(+)-(4*S**,5*R**,7*S**,8*R**)-Eremophila-9,11-dien-8α-ol from the liverwort *Marsupella emarginata*	4027	L. J. HARRISON, H. BECKER, J. D. CONNOLLY and D. S. RYCROFT
neo-Clerodane diterpenoids from *Teucrium montanum*	4029	P. Y. MALAKOV, G. Y. PAPANOV and I. M. BONEVA
A triterpene from the bark of *Tamarix aphylla*	4031	I. MERFORT, J. BUDDRUS, M. A. M. NAWWAR and J. LAMBERT
Dammarane triterpenoids from *Dysoxylum richii*	4033	Y. SINGH and W. AALBERSBERG
Terpenoids from *Hemidesmus indicus*	4036	M. M. GUPTA, R. K. VERMA and L. N. MISRA

Stigmasteryl galactoside from *Rhynchosia minima* 4038 W. Ahmed, Z. Ahmad and A. Malik

(2*R*,3*R*)-7,5′-Dimethoxy-3,5,2′-trihydroxyflavanone from *Blumea balsamifera* 4040 N. C. Barua and R. P. Sharma

Symviridine, a new pyrrolizidine alkaloid from *Symphytum* species 4041 E. Roeder, T. Bourauel and V. Neuberger

Book Reviews

Herbivores: Their Interactions with Secondary Plant Metabolites, 2nd Edition, Volume 1, The Chemical Participants: edited by G. A. Rosenthal and M. R. Berenbaum 4043 P. G. Waterman

Biochemical, Molecular and Physiological Aspects of Plant Peroxidases: edited by J. Lobarzewski, H. Greppin, C. Pennel and Th. Gaspar 4043 G. P. Bolwell

Number 12

Review Article Number 71

Ozone–hydrocarbon interactions in plants 4045 L. Salter and C. N. Hewitt

Growth and Metabolism

Plant hormones in *Brassica napus* and *Lycopersicon esculentum* pollen 4051 S. Singh and V. K. Sawhney

Identification of gibberellin A_{89} from *Brassica campestris* 4055 Chuxing Sheng, K. V. Bhaskar, L. N. Mander, D. W. Pearce, R. P. Pharis and S. Young

Effect of 10-oxo-*trans*-8-decenoic acid on growth of *Agaricus bisporus* 4059 Jeng-Leun Mau, R. B. Beelman and G. R. Ziegler

Lectin from *Parkia speciosa* seeds 4065 W. Suvachittanont and A. Peutpaiboon

Regrowth of ryegrass: enzymatic activities related to amino acid metabolism 4071 J. Bigot and J. Boucaud

Purification of *N*-methylputrescine oxidase from *Nicotiana rustica* 4075 S. C. Haslam and T. W. Young

A role for phosphorylation in the down-regulation of phenylalanine ammonia-lyase in suspension-cultured cells of French bean 4081 G. P. Bolwell

Polyamine metabolism in nodules of *Vigna mungo* during senescence 4087 K. Lahiri, Sh. Chattopadhyay, So. Chattopadhyay and B. Ghosh

Compartmentation and cellular conditions controlling sucrose breakdown in mature acid lime fruits 4091 E. Echeverria, J. Burns and H. Felle

Chemical inhibition of resistant biopolymers in outer walls of the *A* and *B* races of *Botryococcus braunii* 4097 J. Templier, C. Largeau, E. Casadevall and C. Berkaloff

Ecological Biochemistry

Methyl (2,5-dihydroxy-3-nitrophenyl) acetate from *Pseudomonas syringae* pv. *papulans* 4105 A. Evidente, N. S. Iacobellis, A. Impellizzeri and G. Surico

Epicuticular terpenoids and an aurone from flowers of *Helianthus annuus* 4109 A. A. Alfatafta and C. A. Mullin

Debromoisocymobarbatol, a new chromanol feeding deterrent from the marine alga *Cymopolia barbata* 4115 M. Park, W. Fenical and M. E. Hay

Structure–activity relationships of phenylpropanoids as growth inhibitors of the green alga *Selenastrum capricornutum* 4119 M. Della Greca, P. Monaco, A. Pollio and L. Previtera

Isolation, spectroscopy and selective phytotoxic effects of polyphenols from vegetable waste waters — 4125 — R. Capasso, G. Cristinzio, A. Evidente and F. Scognamiglio

Biosynthesis

Substrate specificity in the biosynthesis of cyclopentanoid cyanohydrin glucosides — 4129 — E. S. Olafsdottir, L. B. Jørgensen and J. W. Jaroszewski

Co-occurrence of 2-pyrrolidineacetic acid with the pyrrolizidines tussilaginic acid and isotussilaginic acid and their 1-epimers in *Arnica* species and *Tussilago farfara* — 4135 — C. M. Paßreiter

Cell Culture and Biotechnology

Group A acetyl saponin-deficient mutant from the wild soybean — 4139 — C. Tsukamoto, A. Kikuchi, S. Kudou, K. Harada, K. Kitamura and K. Okubo

Tannin production in *Sapium sebiferum* callus cultures — 4143 — S. Neera, H. Arakawa and K. Ishimaru

Scopolamine content of a *Duboisia* hybrid in callus cultures — 4151 — G. D. Lin and W. J. Griffin

Chemotaxonomy

Occurrence of gibberellins in different species of the fungal genera *Sphaceloma* and *Elsinoe* — 4155 — W. Rademacher

Acetylenes from the roots of *Solidago* species — 4159 — J. Lam, L. P. Christensen, T. Färch and T. Thomasen

Limonoids from Australian members of the Meliaceae — 4163 — D. A. Mulholland and D. A. H. Taylor

Sterol composition of twelve Chlorophyceae from the Senegalese coast and their chemotaxonomic significance — 4167 — M. Aknin, R. Moellet-Nzaou, J. M. Kornprobst, E. M. Gaydou, A. Samb and J. Miralles

o-Naphthoquinones from the heartwood of *Azanza garckeana* — 4171 — R. M. Letcher and I. M. Shirley

Plant Chemistry

Phygrine, an alkaloid from *Physalis* species — 4173 — K. Basey, B. A. McGaw and J. G. Woolley

A γ-pyrone derivative, rapicone, from *Ramichloridium apiculatum* — 4177 — K. Nozawa, S. Nakajima, K. Kawai and S. Udagawa

Fractionation and partial characterization of the sulphated polysaccharide of *Porphyridium* — 4181 — S. Geresh, N. Lupescu and S. (Malis) Arad

4-Oxo-β-ionol and linalool glycosides from raspberry fruits — 4187 — A. Pabst, D. Barron, E. Sémon and P. Schreier

Iridoid glycosides from *Penstemon* species: a C-5, C-9 *trans* iridoid and C-8 epimeric pairs — 4191 — T. A. Foderaro and F. R. Stermitz

Excelsioside, a secoiridoid glucoside from *Fraxinus excelsior* — 4197 — S. Damtoft, H. Franzyk and S. R. Jensen

Bis-iridoid glucosides from the roots of *Argylia radiata* — 4203 — A. Bianco, E. Marini, M. Nicoletti, S. Foddai, J. A. Garbarino, M. Piovano and M. T. Chamy

Four biologically active sesquiterpenes of the drimane type isolated from *Polygonum glabrum* — 4207 — U. Jacobsson and A. K. Muddathir

Oxygenated sesquiterpenes from the liverwort *Bazzania tridens* — 4213 — Chia-Li Wu and Cheng-Liang Chen

Angulatueoid G and H, sesquiterpenes from the seeds of *Celastrus angulatus* — 4219 — Wu Dagang, Liu Jikai and Cheng Chunquan

Sesquiterpene coumarin ethers from the genus *Heptaptera*	4223	G. Appendino, H. C. Özen, G. M. Nano and M. Cisero
Sesquiterpenoids and diterpenoids from *Tithonia longiradiata*	4227	A. L. Pérez C., O. Lara M. and A. R. de Vivar
Diterpenoids from *Calceolaria purpurea*	4233	M. C. Chamy, M. Piovano and J. A. Garbarino
Diterpenoids from *Isodon adenoloma*	4237	Zhang Rong Ping, Zhang Hongjie, Lin Zhongwen, Zhen Yulin and Sun Handong
Diterpenoids from *Vellozia declinans*	4241	A. C. Pinto, R. De A. Epifanio and M. G. Pizzolatti
Terpenoids from *Pulicaria glutinosa*	4245	I. Muhammad, F. S. El-Feraly, J. S. Mossa and A. F. Ramadan
Mixed acetoxy-benzoxy taxane esters from *Taxus brevifolia*	4249	A. Chu, J. Zajicek, L. B. Davin, N. G. Lewis and R. B. Croteau
Taxanes from *Taxus baccata*	4253	G. Appendino, P. Gariboldi, A. Pisetta, E. Bombardelli and B. Gabetta
A 3,11-cyclotaxane from *Taxus baccata*	4259	G. Appendino, P. Lusso, P. Gariboldi, E. Bombardelli and B. Gabetta
Cycloartanes and other terpenoids and phenylpropanoids from *Monocyclanthus vignei*	4263	H. Achenbach and D. Frey
Triterpenoids from the fresh fruit coats of *Azadirachta indica*	4275	B. S. Siddiqui, Ghiasuddin, S. Faizi and S. Siddiqui
Pentacyclic triterpenoids from the leaves of *Plumeria obtusa*	4279	S. Siddiqui, B. S. Siddiqui, A. Naeed and S. Begum
Musangicic acid, a triterpenoid constituent of *Musanga cecropioides*	4285	D. Lontsi, B.-L. Sondengam, M.-T. Martin and B. Bodo
Cryptoquinonemethides D and E, C_{30}-terpene quinone methides, from *Cryptomeria japonica*	4289	T. Shibuya
6α-Hydroxyeurycomalactone, a quassinoid from *Eurycoma longifolia*	4295	K. L. Chan, Y. Iitaka, H. Noguchi, H. Sugiyama, I. Saito and U. Sankawa
Physalins N and O from *Physalis alkekengi*	4299	M. Kawai, T. Ogura, B. Makino, A. Matsumoto, H. Yamamura, Y. Butsugan and M. Hayashi
Dihydropyranocoumarins from roots of *Peucedanum japonicum*	4303	Y. Ikeshiro, I. Mase and Y. Tomita
Lignan and phenylpropanoid glycerol glucosides in wine	4307	V. A. Marinos, M. E. Tate and P. J. Williams
3-*O*-Demethylswertipunicoside from *Swertia punicea*	4313	Pei Tan, Cui-Ying Hou, Yong-Long Liu, Lee-Juian Lin and G. A. Cordell
Complexation of a fluorescent anthocyanin with purines and polyphenols	4317	M. C. Wigand, O. Dangles and R. Brouillard
Campylopusaurone, an auronoflavanone biflavonoid from the mosses *Campylopus clavatus* and *Campylopus holomitrium*	4325	H. Geiger and K. R. Markham
6-Deoxyclitoriacetal from *Clitoria macrophylla*	4329	Lee-Juian Lin, N. Ruangrungsi, G. A. Cordell, Hui-Ling Shieh, Min You and J. M. Pezzuto

Wrightiadione from *Wrightia tomentosa* 4333 Lee-Juian Lin, G. Topcu, H. Lotter, N. Ruangrungsi, H. Wagner, J. M. Pezzuto and G. A. Cordell

Steroidal alkaloids from the bulbs of *Fritillaria persica* 4337 K. Ori, Y. Mimaki, Y. Sashida, T. Nikaido and T. Ohmoto

Lupin alkaloids from *Lupinus polyphyllus* 4343 G. Veen, C. Schmidt, L. Witte, V. Wray and F.-C. Czygan

Revision of the structure of strychnofluorine, an alkaloid of *Strychnos gossweileri* 4347 J. Quetin-Leclercq, C. Coune, C. Delaude, R. Warin, R. Bassleer and L. Angenot

Short Reports

trans-4-Hydroxypipecolic acid betaine from *Lamium maculatum* 4351 Zhi-Xin Yuan, A. V. Patel, G. Blunden and C. H. Turner

An acetylenic hydrocarbon from *Dahlia merckii* 4353 K. Neuschild, L. P. Christensen and J. Lam

Chirality of the acyl group of gymnopilin 4355 M. Tanaka, K. Hashimoto, T. Okuno and H. Shirahama

Heptaketide-derived polyenes from the fungus *Nectria haematococca* 4357 D. Parisot, M. Devys and M. Barbier

Sesquiterpene lactones from *Centaurea pullata* 4359 F. Benayache, S. Benayache, K. Medjroubi, G. Massiot, P. Aclinou, B. Drodz and G. Nowaks

Proazulenes from *Achillea asplenifolia* 4361 U. Kastner, J. Jurenitsch, S. Glasl, A. Baumann, W. Robien and W. Kubelka

Diterpenes and other constituents from *Croton cortesianus* 4363 K. Siems, X. A. Dominguez and J. Jakupovic

neo-Clerodane diterpenes from *Teucrium* species 4366 M. Bruno, F. Piozzi, B. Rodríguez, G. Savona, M. C. de la Torre and O. Servettaz

Saponins from *Verbascum nigrum* 4368 B. Klimek, C. Lavaud and G. Massiot

Dihydroxysterols from the marine red alga, *Gracilaria edulis* 4371 B. Das and K. V. N. S. Srinivas

Anthraquinones and other constituents of two *Senna* species 4374 B. Barba, J. G. Díaz and W. Herz

A furanocoumarin glucoside from stembark of *Skimmia japonica* 4376 J. Reisch and S. H. Achenbach

A lignan from *Vitex negundo* seeds 4378 A. S. Chawla, A. K. Sharma, S. S. Handa and K. L. Dhar

Neolignans from fruits of *Virola pavonis* 4380 M. O. M. Marques, M. Yoshida and O. R. Gottlieb

Borhavine, a dihydroisofuranoxanthone from *Boerhaavia diffusa* 4382 B. Ahmed and Chung-Ping Yu

Two afzelechin glycosides from *Arthromeris mairei* 4385 Yu Wen-Sheng, Li Hong, Chen Xin-Min and Yang Lei

Flavonol glycosides from *Tagetes elliptica* 4387 M. D'Agostino, F. De Simone, Zhong Liang Zhou and C. Pizza

Tropane alkaloids from *Duboisia myoporoides* 4389 Y. N. Shukla and R. S. Thakur

Forrestine, an alkaloid from *Tripterygium forrestii* 4391 Cheng Chunquan, Liu Jikai and Wu Dagang

N-Methoxy septorinol, a substituted pyrazine from the fungus *Septoria nodorum* 4393 M. Devys, M. Barbier, A. Kollmann and J.-F. Bousquet

Phenanthrene lactams from *Goniothalamus velutinus* 4395 S. Omar, Chang Leng Chee, F. Ahmad, Jiu Xiang Ni, H. Jaber, Jinasheng Huang and T. Nakatsu

Erratum and Corrigenda 4399